
Subject: Creating dummy variable for younger sisters
Posted by [mkennedy](#) on Mon, 12 Nov 2018 20:22:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am currently studying the effect of early marriage on education with Nigeria's 2013 DHS data - specifically the individual recode (female respondents). I am specifically using birth order as an instrumental variable and am having difficulty creating variables given that the dataset I'm using doesn't have clearly defined variables for number of older sisters, number of younger sisters, etc. MM1 (_01,_02,...) includes the sex of all siblings but does not indicate the order of birth they are in. Can someone please guide me on this?

Subject: Re: Creating dummy variable for younger sisters
Posted by [Bridgette-DHS](#) on Mon, 19 Nov 2018 13:52:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Following is a response from Senior DHS Stata Specialist, Tom Pullum:

The imputed cmc of birth is given by mm4. You have the cmc of the respondent's birth as v011. In Stata, you can get the numbers of older and younger sisters and brothers with lines such as the following. If you are not using Stata, you will have to convert. I include a check to make sure that the total of these four numbers is equal to the total number of siblings. I arbitrarily count a twin with the older siblings (sisters or brothers).

- * Construct copies of mmidx
- * older_sister=mmidx if the sibling is female and older than the respondent
- * younger_sister=mmidx if the sibling is female and younger than the respondent
- * similarly for brothers

OPEN THE IR FILE

```
rename mm*_0* mm*_*  
local li=1  
quietly while `li'<=20 {  
  gen older_sister_`li'=mmidx_`li'  
  gen younger_sister_`li'=mmidx_`li'
```

```
replace older_sister_`li'=. if mm1_`li'==1 | mm4_`li'<v011  
replace younger_sister_`li'=. if mm1_`li'==1 | mm4_`li'>=v011
```

```
gen older_brother_`li'=mmidx_`li'  
gen younger_brother_`li'=mmidx_`li'
```

```
replace older_brother_`li'=. if mm1_`li'==2 | mm4_`li'<v011  
replace younger_brother_`li'=. if mm1_`li'==2 | mm4_`li'>=v011
```

```
local li=`li'+1
```

```
}  
  
egen      n_siblings=rownonmiss(mmidx*)  
egen  n_older_sisters=rownonmiss(older_sister*)  
egen n_younger_sisters=rownonmiss(younger_sister*)  
egen  n_older_brothers=rownonmiss(older_brother*)  
egen n_younger_brothers=rownonmiss(younger_brother*)  
gen n_check=n_older_sisters+n_younger_sisters+n_older_brothers+n_younger_brothers  
  
correlate n_siblings n_check
```
