## Subject: Re: recoding v034X (line number fo husband) Posted by Trevor-DHS on Mon, 27 Jun 2016 20:34:55 GMT

View Forum Message <> Reply to Message

```
Try the following code:
```

\* Step 1: open AR file

use "TZAR4AFL.DTA", clear

\* Step 2: rename identifying variables

rename hivclust v001

rename hivnumb v002

rename hivline v003

\* Step 3: sort according to ID vars

sort v001 v002 v003

\* Step 4: save results

save "TZAR4AFL\_mergeprep.DTA", replace

\* Step 5: open IR file

use "TZIR4AFL.DTA", clear

\* Step 6: sort by identifying variables

sort v001 v002 v003

\* Step 7: merge!

merge 1:1 v001 v002 v003 using "TZAR4AFL mergeprep.DTA"

\* Step 8: Complete the merge

drop if \_merge!=3

\* drop the merge variable

drop merge

\* Step 9: save women and men data with HIV results added

save "TZIR4AFL\_merged.DTA", replace

\*Step 10: Split the merged dataset into two datasets, one for men and one for women

\* first men

use "TZIR4AFL\_merged.DTA", clear

keep if aidsex==1

\* rename variables to names for men, and drop a few unneccessary ones

rename v\* mv\*

rename s\* sm\*

rename h\* mh\*

drop awfact\*

\* rename back the ID variables used for matching

rename mv001 v001

rename mv002 v002

\* create man's line number var for matching

clonevar v034=mv003

\* sort on the ID variables

sort v001 v002 v034

save "TZIR4AFL\_merged\_men.DTA", replace

<sup>\*</sup> second women

use "TZIR4AFL\_merged.DTA", clear

keep if aidsex==2

\* create husband's line number var for matching clonevar v034=v034\_1

- \* drop women who are unmarried or whose partner does not live in the household drop if  $v034==. \mid v034==0$
- \* sort and save sort v001 v002 v034 save "TZIR4AFL\_merged\_women.DTA", replace
- \*Step 11: Merge women and men as couples merge m:1 v001 v002 v034 using "TZIR4AFL\_merged\_men.DTA" \* keep only the couples who matched drop if \_merge!=3 save "TZIR4AFL\_merged\_couples.DTA", replace