
Subject: Re: weighting for Services Provision Assessment data
Posted by [Bridgette-DHS](#) on Mon, 01 Aug 2016 13:35:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Stata Specialist, Shireen Assaf:

In order to use the svy command with a mixed model, you need to supply weights for each level. See the example in the Stata 14 Multilevel Mixed Effect manual page 83 for how this can be done when there are two weights: <http://www.stata.com/manuals14/me.pdf>. You need to have Stata version 14 to be able to do this.

I tried this using Senegal SPA as an example. First you need to merge the facility and FP files. Then follow the following steps:

*create the client and facility weights

```
gen clwt= clientwt/1000000
```

```
gen fcwt= facwt/1000000
```

*create the strata variable

```
egen strata=group(ftype region)
```

*svyset for mixed models using two weights

```
svyset facil, weight(fcwt) strata(strata) singleunit(centered) || _n, weight(clwt)
```

*client satisfaction outcome

```
recode x208 (1 = 1 "very satisfied") (2/3 =0 "more/less/not satisfied"), g(fpsat)
```

*client's age as an example

```
recode x302 (98=.), gen(age)
```

*this is a mixed model with random intercepts for facilities

```
svy: melogit fpsat age i.factype || facil:
```

*if you want to fit a model with random intercepts for facilities and clients you could fit the following model (this takes longer and looking at this example seems nothing changes)

```
svy: melogit fpsat age i.factype || facil: || clno:
```

I was not sure what type of mixed model you wanted to fit but this should give you an idea of how to proceed. For any more detail on using Stata with mixed models perhaps the Stata forum would help.