

---

Subject: Re: using svy command and getting out p-values  
Posted by [Bridgette-DHS](#) on Fri, 17 Mar 2017 12:10:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Following is a response from Senior DHS Stata Specialist, Tom Pullum:

I approached this in a different but equivalent way, using logit regression. I find this:

Women by age group:  $p= 0.2626$ , not significant  
Women by residence:  $p=.0002$ , very significant  
Men by age group:  $p=.0000$ , very significant  
Men by residence:  $p=.8207$ , not significant

In terms of statistical significance, the results are different for men and women. However, the substantive implications are really the same for men and women--namely, knowledge is extremely high for all the groups of men and all the groups of women.

Here is how I did this (you must change the paths):

```
use e:\DHS\DHS_data\IR_files\NMIR61FL.dta, clear  
svyset v001 [pweight=v005], strata(v022)
```

```
tab v013 v751 [iweight=v005/1000000], row  
svy: logit v751 i.v013  
svy: logit v751 i.v025
```

```
use e:\DHS\DHS_data\MR_files\NMMR61FL.dta, clear  
svyset mv001 [pweight=mv005], strata(mv022)
```

```
tab mv013 mv751 [iweight=mv005/1000000], row  
svy: logit mv751 i.mv013  
svy: logit mv751 i.mv025
```

---