

---

Subject: number not matched in "Pregnant women counseled and tested for HIV"

Posted by [Nicholus Tint Zaw](#) on Sat, 17 Mar 2018 14:04:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I am now working on the Myanmar DHS data to make some in-depth analysis on pregnant mothers receiving HIV pre-test counselling.

Because of my country datasets didn't has separate hiv dataset, I look for those hiv related var for pregnant mother in mother (ir) dataset.

The DHS report using the number of mothers who gave birth in last two years as denominator for this session: "Pregnant women counseled and tested for HIV". But, in the ir dataset, I only found "mothers who gave birth in last 5 years or 3 years". So, did not matched with what DHS report.

Therefore, I used the pr file to get the numbers of children who was born in last two years ( $\leq 23$  months from interview date) and then, merge with ir file to calculated the hiv related indicators. However, the number of denominator and results (%) were not identical with DHS report even I applied the weighted analysis at women dataset level. Below were my stata code for reference. And, is there anyone who can check my issue and provide comments how to solve it? Thanks in advance.

[clear

use "\${pr\_person}", clear

gen v001 = hv001

gen v002 = hv002

gen in\_pr = 1

sort v001 v002

br v001 hv001 v002 hv002

tempfile last\_2yr\_birth

save `last\_2yr\_birth', replace

clear

\*\* (B) : Merge with Women IR dataset \*\*

use "\${ir\_women}", clear

gen in\_ir = 1

sort v001 v002

merge m:m v001 v002 using `last\_2yr\_birth'

tab1 \_merge in\_ir in\_pr

keep if \_merge == 3

**\*\* (A) : Keep only de facto \*\***

tab hv103, m // should be 1

keep if hv103 == 1

**\*\* (B) : Child Date of Birth Var Construction \*\***

tab hc32 // date of birth variable in CMC format

/\* Note from DHS Re-code Manual

Century Month Code, look at manual page 11 for detail

\*/

tab hc16 // day

tab hc16, nolab

replace hc16 = .n if hc16 >= 98 & !mi(hc16)

tab hc30 // month

tab hc31 // yrs

gen cdob = mdy(hc30, hc16, hc31)

format cdob %td

replace cdob = .n if mi(hc30) & mi(hc16) & mi(hc31)

replace cdob = .n if hc30 > 31 & !mi(hc30)

br hc16 hc30 hc31 cdob

**\*\* (C) : Interview Date Var Construction \*\***

tab hv006 // month

tab hv016 // day

tab hv007 // year

gen interview\_date = mdy(hv006, hv016, hv007)

format interview\_date %td

replace interview\_date = .n if mi(hv006) & mi(hv016) & mi(hv007)

//replace interview\_date = .n if hv016 < 31 & !mi(hv016)

br hv006 hv016 hv007 interview\_date

**\*\* (D) : Keep Only Obs Who were born in last two years \*\***

// period between child DOB and Date of interview by months

gen last\_yr\_count = round((interview\_date - cdob)/30.4375, 0.1)

tab last\_yr\_count, m

gen is\_last\_2yr = (last\_yr\_count <= 23)

replace is\_last\_2yr = .n if mi(last\_yr\_count)

```

tab is_last_2yr, m

keep if is_last_2yr == 1

tab v209, nolab // birth in past year
//keep if v209 != 0

** Duplicate Check **
duplicates report hhid
duplicates tag hhid, gen (dup_hhid)
tab dup_hhid, m

sort hv001 hv002
br if dup_hhid == 2 // identical DOB cases, seem triplet

br if dup_hhid == 1 // mix both duplicate hhid with DOB identical and different cases

duplicates tag hhid cdob, gen (dup_hhid_cdob)
tab dup_hhid_cdob, m
br if dup_hhid_cdob == 1 // out of 144 dup hhid two times, only 32 had identical DOB

//duplicates drop hhid cdob, force

** (D) : Keep Only Obs Who were born in last two years **

** Construct WEIGHT var using Women Individual Sample Weight **
gen wgt = v005/1000000
tab wgt, m

lookfor sampling // search for sampling unit var

svyset, clear
svyset [pw = wgt], psu(v021) strata (v022)

svy: tab is_last_2yr
// Population size = 1,680.6382, DHS report on # of weomen who gave birth in last 2 yrs - 1,669
// variance - 11 obs - seems this come from twin cases
svy: tab v839
svy: tab v840

svyset, clear[/code]

Best regards,
Nicholus

```

---