
Subject: Re: Child Vaccination_Ethiopia
Posted by [Mlue](#) on Mon, 19 Nov 2018 07:48:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello

Try this one.

/*

Ethiopia Demographic and Health Survey, 2016
BIRTHS RECODE

*/

```
clear all
set matsize 800
set mem 1g
set maxvar 9000
*cd "..."
use "ETBR70FL", clear
set more off
```

** WEIGHT VARIABLE

```
gen weight = v005/1000000
```

** SURVEY SET

```
gen psu = v021
gen strata = v023
svyset psu [pw = weight], strata(strata) vce(linearized)
*svydes
```

// RENAME

```
rename v013 age
rename v106 education
rename v190 wealth
rename v025 residence
rename v024 region
*rename sdist district
```

////////////////////////////////////

```

** Child_age = 12-23 months old
gen months = b19
keep if b5 == 1 & months >= 12 & months <=23

```

```

gen child_age = months
replace child_age = 1 if b5 == 1 & months >= 12 & months <=13
replace child_age = 2 if b5 == 1 & months >= 14 & months <=15
replace child_age = 3 if b5 == 1 & months >= 16 & months <=17
replace child_age = 4 if b5 == 1 & months >= 18 & months <=19
replace child_age = 5 if b5 == 1 & months >= 20 & months <=21
replace child_age = 6 if b5 == 1 & months >= 22 & months <=23
label define child_age 1"12-13" 2"14-15" 3"16-17" 4"18-19" 5"20-21" 6"22-23"
label var child_age "Child age in months"
label val child_age child_age

```

```

svy: tab months, count format(%4.0f) miss
svy: tab child_age, count format(%4.0f) miss

```

**** Recode of vaccination variables**

```

gen BCG = inrange(h2,1,3)

```

```

gen Polio0 = inrange(h0,1,3)

```

```

gen DPT = inrange(h3,1,3)+inrange(h5,1,3)+inrange(h7,1,3)

```

```

gen Polio = inrange(h4,1,3)+inrange(h6,1,3)+inrange(h8,1,3)

```

```

**gen pv = inrange(pv1,1,3)+inrange(pv2,1,3)+inrange(pv3,1,3)

```

```

gen ms = inrange(h9,1,3)

```

```

*****

```

```

forvalues x = 1/3 {
gen Polio`x' = (Polio>=`x')
gen DPT`x' = (DPT>=`x')
/*gen Penta`c' = (pv>=`x')*/
}
**

```

```

**

```

```

=====
**

```

**** DEPENDENT VARIABLE**

```

gen vaccination = (BCG==1 & Polio==3 & DPT==3 & ms==1)
label var vaccination "Received all vaccinations"
label define vaccination 0"No" 1"Yes"

```

label values vaccination vaccination

```
/*
recode h1 (1=1 "Has card") (else=0 " No card"), gen(vaccine_card)
label var vaccine_card "Vaccination card seen"
label values vaccine_card vaccine_card
*/
```

**

```
=====
**
```

```
* Mother's age at birth
cap drop agebirth
gen agebirth=(b3-v011)/12
*tab agebirth
```

```
cap drop age_at_birth
recode agebirth (min/19.91667=1 "<20") (20/34.91667=2 "20-34") ///
(35/max=3 "35-49"), gen(age_at_birth)
label var age_at_birth "Mother's age at birth"
label val age_at_birth age_at_birth
```

```
* Birth order
gen birth_order1 = bord
replace birth_order1 = bord-1 if b0 == 2
replace birth_order1 = bord-2 if b0 == 3
```

```
recode birth_order1 (1=1 "1") (2/3=2 "2-3") (4/5=3 "4-5") ///
(6/20=4 "6+"), gen(birth_order)
label var birth_order "Birth order"
label values birth_order birth_order
```

```
*=====
=====*
```

```
** DROP IF NOT WITHIN SAMPLE
keep if vaccination !=.
```

```
*=====
=====*
```

```
** CHECK
svy: tab vaccination, count percent format(%4.1f) col
svy: tab vaccination, count format(%4.0f)
svy: tab vaccination, percent format(%4.1f)
```

```
*****
*****
```

**** Table 10.3 Vaccinations by background characteristics ****

```
svy: tab b4 vaccination, count format(%4.0f) miss
svy: tab birth_order vaccination, count format(%4.0f) miss
svy: tab residence vaccination, count format(%4.0f) miss
svy: tab region vaccination, count format(%4.0f) miss
svy: tab education vaccination, count format(%4.0f) miss
svy: tab wealth vaccination, count format(%4.0f) miss
```

```
svy: tab b4 vaccination, percent format(%4.1f) row miss
svy: tab birth_order vaccination, percent format(%4.1f) row miss
svy: tab residence vaccination, percent format(%4.1f) row miss
svy: tab region vaccination, percent format(%4.1f) row miss
svy: tab education vaccination, percent format(%4.1f) row miss
svy: tab wealth vaccination, percent format(%4.1f) row miss
```

exit

```
tabstat months [aw=weight], by(b4) stat(mean median sd min max) format(%4.1f) long
```

```
tabstat months [aw=weight], by(vaccination) stat(mean median sd min max) format(%4.1f) long
```