
Subject: Re: Bangladesh 2011 DHS: Merging "children" and "male" files
Posted by [user-rhs](#) on Mon, 24 Mar 2014 20:13:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Skatumuluwa,

You mentioned both SPSS and Stata in your post. The instructions provided below works with Stata.

Sort and merge on v001 and v002. For the male dataset, create variables v001 and v002 from mv001 and mv002 so that both datasets now contain the variables v001 and v002. In Stata, you can sort on multiple variables, e.g.
sort v001 v002

Sort both datasets and save. Now you can merge on v001 and v002. Stata will also ask you to specify if it is a one-to-many (1:m), one-to-one (1:1), many-to-one (m:1), or many-to-many (m:m) match, so be sure to do that in your merge command.

If you are using SPSS, are you using SPSS syntax? You may have greater flexibility in sorting etc. if you are syntax instead of point and click.

Finally: re: caseid: they are created from concatenating v001, v002, and v003, but they are "right-justified," meaning that if any of these variables contain fewer than 3 characters, the blank would go to the left of the number where it starts. For example, if mv001 = 543, mv002=24, and mv003=1, the mcaseid is 543.24..1. If mv001=51, mv002=115, and mv003=1, then mcaseid is .51115..1. Where I have used red-colored periods to denote what would be indicated as a blank space (" ") in the dataset.

hth,
RHS