Subject: Re: merging IR file with KR
Posted by Mlue on Thu, 07 Mar 2019 07:36:03 GMT
View Forum Message <> Reply to Message

Hello Mamadou,

This is how I calculated the c-section births. I did not use the IR file, but instead used the BR file

FOR C-SECTION

```
clear all
set matsize 800
set maxvar 10000
set mem 1g
cd "..."
use "MWBR7HFL", clear
set more off

**
<><><>
```

```
<><><>
```

```
** DROP IF NOT WITHIN SAMPLE
keep if m15 !=.

**
<><><>
```

```
  blabel(bar, format(%9.1f) pos(center)) bar(4, bcolor(gs14)) ytitle(%) ///
  title(Percentage of births by type of health facility) ///
  subtitle(Malawi DHS 2015-16)

catplot skilled_birth wealth [iw=weight], percent(wealth) stack asyvars ///
  bar(1, bcolor(gold*.6)) bar(2, bcolor(ltblue*.9)) bar(3, bcolor(red*.2)) ///
  blabel(bar, format(%9.1f) pos(center)) bar(4, bcolor(gs14)) ytitle(%) ///
  title(Percentage of births by type of provider) ///
  subtitle(Malawi DHS 2015-16)

exit

**
<><><>
```