
Subject: Re: M55 variable missing
Posted by [Mlue](#) on Fri, 26 Apr 2019 14:31:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

This will point you in the right direction. The code is supposed to work, but I think I'm missing something.

I'm not getting the exact percentages (maybe one of the DHS experts with assist you).

```
/*  
EXCLUSIVE BREASTFEEDING  
  
National Family Health Survey (NFHS-4)  
India 2015-16  
*/  
  
clear all  
set matsize 800  
set maxvar 10000  
set mem 1g  
cd "C:\Users\Mluleki\Documents\INDIA DHS"  
use "IAKR72FL", clear  
set more off  
  
**  
=====**  
  
** WEIGHT VARIABLE  
gen weight = v005/1000000  
  
**  
=====**  
  
** SURVEY SET  
gen psu = v021  
//gen strata = v022  
gen strata = v023  
svyset psu [pw = weight], strata(strata) singleunit(scaled)  
  
**  
=====**  
  
sort caseid
```

```
** HHID
gen hhid=substr(caseid,1,12)
sort hhid
```

```
** PID
bys hhid: gen pid=_n
```

```
** HHSIZE
bys hhid: gen hhsz=_N
```

```
** HHTAG
egen hhtag=tag(hhid)
```

```
**
```

```
=====
```

```
**
```

```
// RENAME
```

```
rename v013 age
rename v106 education
rename v190 wealth
rename v025 residence
rename v024 region
```

```
**
```

```
=====
```

```
**
```

```
// GENERATING DEPENDENT VARIABLES
```

```
** Child age
// if b19 does not exist use: gen b19 = v008-b3
*lookfor b19
```

```
capture confirm variable b19
if _rc {
  gen b19 = v008 - b3
  label variable b19 "current age of child in months (months since birth for dead children)"
}
*
```

```
gen child_age=b19
```

```
recode child_age (0/1=1 "0-1") (2/3=2 "2-3") (4/5=3 "4-5") (6/8=4 "6-8") ///
(9/11=5 "9-11") (12/17=6 "12-17") (18/23=7 "18-23") (else=.), gen(child_age_grp)
```

keep if child_age_grp !=.

**

=====

** Child lives with respondent

keep if b9==0

**

=====

* finding the youngest child living with the mother for each mother
bysort v001 v002 v003: egen minbidx=min(bidx)

* keep only children less than 2 years
keep if child_age<24

* need to drop those that are bidx==2 and minbidx==1
drop if bidx>minbidx

**

=====

gen water=0
gen liquids=0
gen milk=0
gen solids=0
gen breast=0
gen bottle=0

*TO DETERMINE IF CHILD IS GIVEN WATER, SUGAR WATER, JUICE, TEA OR OTHER.
replace water=1 if (v409>=1 & v409<=7)

* IF GIVEN OTHER LIQUIDS
foreach xvar of varlist v409a v410 v410* v413* {
replace liquids=1 if `xvar'>=1 & `xvar'<=7
}
*

cap replace liquids=1 if v412c>=1 & v412c<=7

* IF GIVEN POWDER/TINNED milk, FORMULA OR FRESH milk
foreach xvar of varlist v411 v411a v412 v414p {
replace milk=1 if `xvar'>=1 & `xvar'<=7
}

*

* IF STILL BREASTFEEDING

replace breast=1 if m4==95

* IF WAS EVER BOTTLE FED

replace bottle=1 if m38==1

*IF GIVEN ANY SOLID FOOD

```
foreach xvar of varlist v414* {  
  replace solids=1 if `xvar'>=1 & `xvar'<=7  
}  
replace solids=1 if v412a==1 | v412b==1
```

gen diet=7

replace diet=0 if water==0 & liquids==0 & milk==0 & solids==0

replace diet=1 if water==1 & liquids==0 & milk==0 & solids==0

replace diet=2 if liquids==1 & milk==0 & solids==0

replace diet=3 if milk==1 & solids==0

replace diet=4 if milk==0 & solids==1

replace diet=5 if milk==1 & solids==1

replace diet=6 if breast==0

label define diet 0"given only water" 1"given only liquids" 2"given only milks" ///

3"given only solids" 4"given only milk and solids" 5"not still breastfeeding" ///

6"not now being breastfed" 7"What"

label var diet "Breastfeeding status1"

label val diet diet

gen ebf=0

replace ebf=1 if diet==0

**

=====

**

** FEEDING

gen feeding=1

replace feeding=2 if water==1

replace feeding=3 if liquids==1

replace feeding=4 if milk==1

replace feeding=5 if solids==1

replace feeding=0 if breast==0

label define feeding 0 "Not breastfeeding" 1 "Exclusive breastfeeding" 2 "+Water" 3 "+Liquids" 4
"+Other Milk" 5 "+Solids"

label val feeding feeding

*creating the predominant breastfeeding variable.

recode feeding (0 4 5=0) (1/3=1), gen(predom)

```
*=====
=====*
```

```
** DROP IF NOT WITHIN SAMPLE
qui regr feeding if v208 !=0 [pw=weight]
drop if e(sample)!=1
```

```
**
=====
**
```

```
** CHECK
svy: tab child_age_grp feeding, count format(%4.0f)
svy: tab child_age_grp feeding, percent format(%4.1f) row
```

```
**
=====
**
```

```
** Exclusive breastfeeding
recode feeding (1=1 "Exclusive") (else=0 "Not exclusive"), gen(exclusive_feed)
label var exclusive_feed "Breastfeeding and consuming complementary foods"
label val exclusive_feed exclusive_feed
```

```
svy: tab exclusive_feed, count format(%4.0f) miss
svy: tab child_age_grp exclusive_feed, percent format(%4.1f) row
```

```
exit
```