

---

Subject: Re: Weight in Indonesia DHS 2012 for un insurance coverage (None)

Posted by [Bridgette-DHS](#) on Thu, 25 Feb 2021 19:27:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Following is a response from Senior DHS Specialists, Trevor Croft and Tom Pullum:

Sorry for the delay. Note that the mean of a 0/1 variable is the proportion of cases with code 1. If you use 100 in place of 1, you get the percentage of cases with 1 (or 100). You can match the table with the following Stata code:

```
gen SS=0
gen Employer=0
gen Private=0
gen Other=0
gen None=0

replace SS=100 if v481c==1
replace Employer=100 if v481b==1
replace Private=100 if v481d==1
replace Other=100 if v481x==1
replace None=100 if v481c~=1 & v481b~=1 & v481d~=1 & v481x~=1

foreach var in SS Employer Private Other None {
    mean `var' [iw=v005/1000000]
    mean `var' [iw=v005/1000000], over(v013)
}
```

You can also get a match with the following command, and better-looking output:

```
tabstat SS Employer Private Other None [aw=v005/1000000], statistics(mean) by(v013)
format(%6.1f)
```

The "foreach" loop includes "mean" and "iweight". The "tabstat" command includes "statistics(mean)" and "aweight". In general we avoid aweights, and we can't really say why the tabstat command only gives a match with aweights. For that reason, we would recommend that you use "mean" rather than "tabstat".