
Subject: Re: birth order

Posted by [Shireen-DHS](#) on Mon, 25 Oct 2021 14:13:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

You would use bord to recode birth order to match table 9.6 as follows:

```
recode bord (1=1) (2/3=2 "2-3") (4/5=3 "4-5") (6/max=4 "6+"), gen(birthor)
```

Then if you would like to code assistance during delivery, please use the following code also found on our code share page for this chapter in the RH_DEL.do file. Before you run this code you need to run the code in the RH_age_period.do file:

https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap09_RH

```
gen rh_del_pv = 9
replace rh_del_pv = 6 if m3n == 1
replace rh_del_pv = 5 if m3h == 1 | m3i == 1 | m3j == 1 | m3k == 1 | m3l == 1 | m3m == 1
replace rh_del_pv = 4 if m3g == 1
replace rh_del_pv = 3 if m3c == 1 | m3d == 1 | m3e == 1 | m3f == 1
replace rh_del_pv = 2 if m3b == 1
replace rh_del_pv = 1 if m3a == 1
replace rh_del_pv = 9 if m3a == 8 | m3a == 9
replace rh_del_pv = . if age >= period
```

```
label define pv ///
1 "Doctor" ///
2 "Nurse/midwife" ///
3 "Country specific health professional" ///
4 "Traditional birth attendant" ///
5 "Relative/other" ///
6 "No one" ///
9 "Don't know/missing"
label val rh_del_pv pv
label var rh_del_pv "Person providing assistance during delivery"
```

Then to match the table you can use the following:

```
gen wt=v005/1000000
ta birthor rh_del_pv [iw=wt], row
```

Best,

Shireen Assaf

The DHS Program
