
Subject: MINIMUM ACCEPTABLE DIET_MINIMUM DIETARY DIVERSITY

Posted by Francois on Mon, 07 Feb 2022 15:16:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I tried to match my results with the ones reported in Rwanda DHS6 and failed by all means. I used the codes from Github and not matched, also I tried the codes posted here about Minimum Meal Frequency and also not matched and i don't know why? Assit plz

Thank you

Here the codes used:

```
clear all
set more off
global nuts "C:\Users\ICF Rwanda\Desktop\RBC_Request\DHS6"
global nuts_out "C:\Users\ICF Rwanda\Desktop\RBC_Request\DHS6\nuts"

use "$nuts\RWKR81FL", clear
numlabel, add

gen age=v008-b3
*keep if b9==0
d bidx
//bidx byte %8.0g    birth column number
bysort v001 v002 v003: egen minbidx=min(bidx)
fre bidx
fre minbidx

keep if age>=6 & age<=23
ta bidx minbidx
* need to drop those that are bidx==2 and minbidx==1
drop if bidx>minbidx
*=====
=====
=====
*** Breastfeeding and complemenatry feeding ***
//currently breastfed
gen nt_bf_curr= m4==95
label values nt_bf_curr yesno
label var nt_bf_curr "Currently breastfeeding - last-born under 2 years"

//breastfeeding status
gen water=0
gen liquids=0
gen milk=0
gen solids=0

*Child is given water
```

```

replace water=1 if (v409>=1 & v409<=7)

*Child given liquids
foreach xvar of varlist v409a v410 v410a v412c v413*{
replace liquids=1 if `xvar'>=1 & `xvar'<=7
}

*Given powder/tinned milk, formula, or fresh milk
foreach xvar of varlist v411 v411a {
replace milk=1 if `xvar'>=1 & `xvar'<=7
}

*Given any solid food
foreach xvar of varlist v414* {
replace solids=1 if `xvar'>=1 & `xvar'<=7
}
replace solids=1 if v412a==1 | v412b==1 | m39a==1
gen nt_bf_status=1
replace nt_bf_status=2 if water==1
replace nt_bf_status=3 if liquids==1
replace nt_bf_status=4 if milk==1
replace nt_bf_status=5 if solids==1
replace nt_bf_status=0 if nt_bf_curr==0
label define bf_status 0"not bf" 1"exclusively bf" 2"bf & plain water" 3"bf & non-milk liquids" 4"bf & other milk" 5"bf & complementary foods"
label values nt_bf_status bf_status
label var nt_bf_status "Breastfeeding status for last-born child under 2 years"

//exclusively breastfed
recode nt_bf_status (1=1) (else=0) if age<6, gen(nt_ebf)
label values nt_ebf yesno
label var nt_ebf "Exclusively breastfed - last-born under 6 months"

//predominantly breastfeeding
recode nt_bf_status (1/3=1) (else=0) if age<6, gen(nt_predo_bf)
label values nt_predo_bf yesno
label var nt_predo_bf "Predominantly breastfed - last-born under 6 months"

//age appropriate breastfeeding
gen nt_ageapp_bf=0
replace nt_ageapp_bf=1 if nt_ebf==1
replace nt_ageapp_bf=1 if nt_bf_status==5 & inrange(age,6,23)
label values nt_ageapp_bf yesno
label var nt_ageapp_bf "Age-appropriately breastfed - last-born under 2 years"

//introduced to food
gen nt_food_bf = 0
replace nt_food_bf=1 if (v412a==1 | v412b==1 | m39a==1)

```

```

foreach i in a b c d e f g h i j k l m n o p q r s t u v w {
    replace nt_food_bf=1 if v414`i'==1
}
replace nt_food_bf=. if !inrange(age,6,8)
label values nt_food_bf yesno
label var nt_food_bf "Introduced to solid, semi-solid, or soft foods - last-born 6-8 months"

//continuing breastfeeding at 1 year
gen nt_bf_cont_1yr= m4==95 if inrange(age,12,15)
label values nt_bf_cont_1yr yesno
label var nt_bf_cont_1yr "Continuing breastfeeding at 1 year (12-15 months) - last-born under 2 years"

//continuing breastfeeding at 2 years
gen nt_bf_cont_2yr= m4==95 if inrange(age,20,23)
label values nt_bf_cont_2yr yesno
label var nt_bf_cont_2yr "Continuing breastfeeding at 2 year (20-23 months) - last-born under 2 years"

*** Foods consumed ***

*country specific foods. These can be added to the foods below based on the survey.
*see examples in lines 186 and 200
gen food1= v414a==1
gen food2= v414b==1
gen food3= v414c==1
gen food4= v414d==1

//Given formula
gen nt_formula= v411a==1
label values nt_formula yesno
label var nt_formula "Child given infant formula in day/night before survey - last-born under 2 years"

//Given other milk
gen nt_milk= v411==1
label values nt_milk yesno
label var nt_milk "Child given other milk in day/night before survey- last-born under 2 years"

//Given other liquids
gen nt_liquids= v410==1 | v412c==1 | v413==1
label values nt_liquids yesno
label var nt_liquids "Child given other liquids in day/night before survey- last-born under 2 years"

//Give fortified baby food
gen nt_bbyfood= v412a==1
label values nt_bbyfood yesno

```

```

label var nt_bbyfood "Child given fortified baby food in day/night before survey- last-born under 2 years"

//Given grains
gen nt_grains= v412a==1 | v414e==1
label values nt_grains yesno
label var nt_grains "Child given grains in day/night before survey- last-born under 2 years"

//Given Vit A rich foods
gen nt_vita= v414i==1 | v414j==1 | v414k==1
label values nt_vita yesno
label var nt_vita "Child given vitamin A rich food in day/night before survey- last-born under 2 years"

//Given other fruits or vegetables
gen nt_frtveg= v414l==1
label values nt_frtveg yesno
label var nt_frtveg "Child given other fruits or vegetables in day/night before survey- last-born under 2 years"

//Given roots and tubers
gen nt_root= v414f==1
label values nt_root yesno
label var nt_root "Child given roots or tubers in day/night before survey- last-born under 2 years"
* country specific for Uganda 2016 DHS
if v000=="UG7" {
    replace nt_root=1 if food1==1
}

//Given nuts or legumes
gen nt_nuts= v414o==1
label values nt_nuts yesno
label var nt_nuts "Child given legumes or nuts in day/night before survey- last-born under 2 years"

//Given meat, fish, shellfish, or poultry
gen nt_meatfish= v414h==1 | v414m==1 | v414n==1
label values nt_meatfish yesno
label var nt_meatfish "Child given meat, fish, shellfish, or poultry in day/night before survey- last-born under 2 years"
* country specific for Uganda 2016 DHS
if v000=="UG7" {
    replace nt_meatfish=1 if food2==1
}

//Given eggs
gen nt_eggs= v414g==1
label values nt_eggs yesno
label var nt_eggs "Child given eggs in day/night before survey- last-born under 2 years"

```

```

//Given dairy
gen nt_dairy= v414p==1 | v414v==1
label values nt_dairy yesno
label var nt_dairy "Child given cheese, yogurt, or other milk products in day/night before survey- last-born under 2 years"

//Given other solid or semi-solid foods
gen nt_solids= nt_bbyfood==1 | nt_grains==1 | nt_vita==1 | nt_frtveg==1 | nt_root==1 |
nt_nuts==1 | nt_meatfish==1 | nt_eggs==1 | nt_dairy==1 | v414s==1
label values nt_solids yesno
label var nt_solids "Child given any solid or semisolid food in day/night before survey- last-born under 2 years"

```

*** Minimum feeding indicators ***

```

//Fed milk or milk products
gen totmilkf = 0
replace totmilkf=totmilkf + v469e if v469e<8
replace totmilkf=totmilkf + v469f if v469f<8
replace totmilkf=totmilkf + v469x if v469x<8
gen nt_fed_milk= ( totmilkf>=2 | m4==95) if inrange(age,6,23)
label values nt_fed_milk yesno
label var nt_fed_milk "Child given milk or milk products- last-born 6-23 months"

```

//Min dietary diversity

- * 8 food groups
- *1. breastmilk

```

gen group1= m4==95

```

*2. infant formula, milk other than breast milk, cheese or yogurt or other milk products

```

gen group2= nt_formula==1 | nt_milk==1 | nt_dairy==1

```

*3. foods made from grains, roots, tubers, and bananas/plantains, including porridge and fortified baby food from grains

```

gen group3= nt_grains==1 | nt_root==1 | nt_bbyfood==1

```

*4. vitamin A-rich fruits and vegetables

```

gen group4= nt_vita==1

```

*5. other fruits and vegetables

```

gen group5= nt_frtveg==1

```

*6. eggs

```

gen group6= nt_eggs==1

```

*7. meat, poultry, fish, and shellfish (and organ meats)

```

gen group7= nt_meatfish==1

*8. legumes and nuts
gen group8= nt_nuts==1

* add the food groups
egen foodsum = rsum(group1 group2 group3 group4 group5 group6 group7 group8)
recode foodsum (1/4 .=0 "No") (5/8=1 "Yes"), gen(nt_mdd)
replace nt_mdd=. if age<6
label values nt_mdd yesno
label var nt_mdd "Child with minimum dietary diversity, 5 out of 8 food groups- last-born 6-23 months"
/*older surveys are 4 out of 7 food groups, can use code below
egen foodsum = rsum(group2 group3 group4 group5 group6 group7 group8)
recode foodsum (1/3 .=0 "No") (4/7=1 "Yes"), gen(nt_mdd)
*/
//Min meal frequency
gen feedings=totmilkf
replace feedings= feedings + m39 if m39>0 & m39<8
gen nt_mmf = (m4==95 & inrange(m39,2,7) & inrange(age,6,8)) | (m4==95 & inrange(m39,3,7) & inrange(age,9,23)) | (m4!=95 & feedings>=4 & inrange(age,6,23))
replace nt_mmf=. if age<6
label values nt_mmf yesno
label var nt_mmf "Child with minimum meal frequency- last-born 6-23 months"
ta nt_mmf[iw=w]

//Min acceptable diet
egen foodsum2 = rsum(nt_grains nt_root nt_nuts nt_meatfish nt_vita nt_frtveg nt_eggs)
gen nt_mad = (m4==95 & nt_mdd==1 & nt_mmf==1) | (m4!=95 & foodsum2>=4 & nt_mmf==1 & totmilkf>=2)
replace nt_mad=. if age<6
label values nt_mad yesno
label var nt_mad "Child with minimum acceptable diet- last-born 6-23 months"

//Consumed Vit A rich food
gen nt_ch_micro_vaf= 0
foreach i in g h i j k m n {
    replace nt_ch_micro_vaf=1 if v414`i'==1
}
replace nt_ch_micro_vaf=. if !inrange(age,6,23)
label values nt_ch_micro_vaf yesno
label var nt_ch_micro_vaf "Youngest children age 6-23 mos living with mother given Vit A rich food"

//Consumed iron rich food
gen nt_ch_micro_irf=0
foreach i in g h m n {

```

```
replace nt_ch_micro_irf=1 if v414`i'==1  
}  
replace nt_ch_micro_irf=. if !inrange(age,6,23)  
label values nt_ch_micro_irf yesno  
label var nt_ch_micro_irf "Youngest children age 6-23 mos living with mother given iron rich food"
```
