
Subject: Multilevel modeling

Posted by [w@dhs](#) on Tue, 12 Jul 2022 04:20:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

We are following your recent guidelines in 'MULTILEVEL MODELING USING DHS SURVEYS: A FRAMEWORK TO APPROXIMATE LEVEL-WEIGHTS' file for weights calculation for domestic violence modules. So, for example, for Maldives, I've tried the following steps.

```
gen a_c_h=.
```

```
quietly levelsof v022, local(lstrata)
```

```
quietly foreach ls of local lstrata {
```

```
tab v021 if v022==`ls', matrow(T)
```

```
scalar stemp=rowsof(T)
```

```
replace a_c_h=stemp if v022==`ls'
```

```
}
```

```
gen A_h = 0
```

```
replace A_h =433 if v022 == 1.... to replace A_h = 54 if v022 == 21
```

```
gen M_h = 0
```

```
replace M_h =51 if v022 == 1....replace M_h = 68 if v022 == 21
```

```
gen m_c= 928
```

```
gen M = 58277
```

```
gen S_h = 25
```

```
(*** I have applied wt already so, I skipped this step gen wgt = v005 / 1000000)
```

```
gen d_IR = wgt * (M/m_c)
```

```
gen f = d_IR / ((A_h/a_c_h) * (M_h/S_h))
```

```
local alphas 0 0.1 .25 .50 .75 0.90 1
```

```
local i = 1
```

```
foreach dom of local alphas{
```

```
gen wt2_`i' = (A_h/a_c_h)*(f^`dom')
```

```
gen wt1_`i' = d_IR/wt2_`i'
```

```
local ++i
```

```
}
```

Then, I tried with the following

```
svyset v001, weight(wt2_4) strata(v022) , singleunit(centered) || _n, weight(wt1_4)
```

```
svy: melogit outcome var i.independent var i.independent var i.independent var || v001:
```

I've got "no observation". So, I re-run the lines "local i=1, .." separately or all together. Sometimes, I've got the results with only a coefficient without SEs, P-value, and 95% CI results.

But, if I run without svy: in front of melogit, it gives me the result. But when I run post estimation command without svy, the AIC and BIC value are the same for all models (I have 4 models: null model, and using variables of different levels), which does not make sense.

Q1: How can I fix it?

Q2: Also, I used `svy:melogit`. But, in such case, STATA does not allow to use the post estimation command `estat ic, n(#)`.

The results showed when I omit `svy` command, again, the AIC and BIC values are the same. W
Any suggestion for fixing it.

Thank you so much.
