

---

Subject: Replication of table 2.26 School attendance by state/union territory in the India Country Report

Posted by [biswaj41\\_ssf](#) on Thu, 11 Aug 2022 06:45:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear members,

I am replicating the "table 2.26 School attendance by state/union territory" as presented in India Country Report (Page No. 64). However, I am getting slightly different statistics and the results are not exactly matching. The code is stated below. As well, the STATA do file is attached with this topic. I request this community to look into codes and suggest me way forward. Any help will be highly appreciated. Thank you very much in advance.

\*Replication of the "Table 2.26 School attendance by state/union territory" in the India National Report (NFHS-5)

\* Setting maximum variable  
set maxvar 12000

\* Prepare IR File

\* Import data

```
use "E:\NIUA\3_Data\NFHS-5_Unit Level Data\IAIR7ADT\IAIR7AFL.DTA", clear
```

```
tab v133
```

```
tab v140
```

```
tab v140 [iweight = v005]
```

```
keep v024 v001 v002 v003 v011 v024
```

```
gen in_IR=1
```

```
rename v024 hv024
```

```
rename v001 hv001
```

```
rename v002 hv002
```

```
rename v003 hvidx
```

```
sort hv024 hv001 hv002 hvidx
```

```
save "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for school attendance and new age\IAIR7AFL.DTA", replace
```

\* Prepare MR file for merge

```
use "E:\NIUA\3_Data\NFHS-5_Unit Level Data\IAMR7ADT\IAMR7AFL.DTA", clear
```

```
keep mv024 mv001 mv002 mv003 mv011 mv024
```

```
gen in_MR=1
```

```
rename mv024 hv024
```

```
rename mv001 hv001
```

```
rename mv002 hv002
```

```
rename mv003 hvidx
```

```
sort hv024 hv001 hv002 hvidx
```

```
save "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for school attendance and new age\IAMR7AFL.DTA", replace
```

```
* Prepare BR file for merge
use "E:\NIUA\3_Data\NFHS-5_Unit Level Data\IABR7ADT\IABR7AFL.DTA", clear
keep v024 v001 v002 b16 b1 b2 b3
gen in_BR=1
rename v024 hv024
rename v001 hv001
rename v002 hv002
rename b16 hvidx
sort hv024 hv001 hv002 hvidx
save "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for school attendance and new
age\IABR7AFL.DTA", replace
```

```
* Prepare PR file for merge
use "E:\NIUA\3_Data\NFHS-5_Unit Level Data\IAPR7BDT\IAPR7BFL.DTA", clear
gen in_PR=1
sort hv024 hv001 hv002 hvidx
save "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for school attendance and new
age\IAPR7BFL.DTA", replace
```

```
* -----
* program define merge_files
```

```
* Using PR File
use "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for school attendance and new
age\IAPR7BFL.DTA", clear
* Merge with BR
sort hv024 hv001 hv002 hvidx
```

```
merge hv024 hv001 hv002 hvidx using "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for
school attendance and new age\IABR7AFL.DTA"
rename _merge _merge_PR_BR
tab1 in_*,m
drop if in_PR==.
sort hv024 hv001 hv002 hvidx
```

```
* Merge with IR
merge hv024 hv001 hv002 hvidx using "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for
school attendance and new age\IAIR7AFL.DTA"
rename _merge _merge_PR_IR
tab1 in_*,m
drop if in_PR==.
sort hv024 hv001 hv002 hvidx
```

```
* Merge with MR
merge hv024 hv001 hv002 hvidx using "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for
school attendance and new age\IAMR7AFL.DTA"
rename _merge _merge_PR_MR
tab1 in_*,m
```

```

drop if in_PR==.
sort hv024 hv001 hv002 hvidx
gen cmc_of_birth=.
replace cmc_of_birth=b3 if in_BR==1
replace cmc_of_birth=v011 if in_IR==1
replace cmc_of_birth=mv011 if in_MR==1
save "E:\NIUA\3_Data\NFHS-5_Unit Level Data\Calculation for school attendance and new
age\merged_with_PR.dta", replace

```

```

*-----
* Month of the start of the academic year (April: 40
gen m_acadyr= 4

* Determining the CMC of the academic year
gen cmc_acadyr = ((hv007 -1900)*12+m_acadyr) if m_acadyr >= hv006
replace cmc_acadyr = ((hv007-1-1900)*12+m_acadyr) if m_acadyr < hv006

* Generating age
gen age_schl= .
replace age_schl = int((cmc_acadyr - cmc_of_birth) / 12)

* Age groups
gen age_schl_group = .
replace age_schl_group = 1 if age_schl >=6 & age_schl <=14
replace age_schl_group = 2 if age_schl >=15 & age_schl <=17

* value level define of age groups
label define age_schl_group 1 "6-14 years" 2 "15-17 years", modify
label values age_schl_group age_schl_group

* Share of children attending school withing age group of 6 to 17 years
tab age_schl_group hv121 [aweight = hv005/1000000] if hv103==1, row nofreq

* Share of children attending school withing age group of 6 to 17 years across states
tab hv024 hv121 [aweight = hv005/1000000]if hv103==1 & age_schl_group ==1 | age_schl_group
==2, row nofreq

```

## File Attachments

---

- 1) [Table 2\\_26 School attendance by state\\_union territory.do](#), downloaded 280 times
- 2) [Table 2\\_26 School attendance by state\\_union territory.do](#), downloaded 130 times
- 3) [Table 2\\_26 School attendance by state\\_union territory.do](#),

downloaded 138 times

---