

---

Subject: Re: Antenatal care visits by type of facilities  
Posted by [Aamna](#) on Tue, 13 Sep 2022 01:43:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

Thank you for the reply and codes. I have a few questions about the codes.

- 1) I am wondering why we are using the same code to generate 3 types of facilities (gen AN\_home=0 if m57a\_1<.)? Shouldn't it be different as m57a\_1 is for the home only?
- 2) m57`ll'\_1 is what? Is it the eleventh variable in m57 or we are creating a new one?

I ran the command and it created a table for me; however, when I put ANtype in regression then it still omitted private in results. I still have the same issue. I used the following regression code.

```
svy: reg antenataldetail i.facility_visits i.ANtype womage husbandage i.womedu_new  
i.husedu_new i.wealth womjob_skilled womjob_unskilled womjob_agri womjob_prof  
husjob_skilled husjob_unskilled husjob_agri husjob_prof womenworking residencearea region_isl  
region_sindh region_khyber region_baluchistan mobilephone finacct decisionabthealth  
decisionabthusbandearning needmoney distanceissue donotgoalone needpermission wifebeating  
tvmedia
```

Is there a way to work around this issue? I appreciate the help.

Sincerely,

Aamna