
Subject: Re: Merging KR with PR

Posted by kehinde.atoloye@gmail.com on Fri, 21 Oct 2022 15:30:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you. It worked but I had to change the last keep line from keep if `_merge==5 & hml32<`. to keep if `hw1<`. I do not understand why the former drops all observations of hml32. Thanks.

Afterthought: I observed that it also keeps the hml32 observations if I use keep if `hml32<`. instead of keep if `_merge==5 & hml32<`.

It will be interesting to know what the condition `_merge==5` does. Thanks a million.

* Specify workspace

cd e:\DHS\DHS_data\scratch

* Nigeria 2018

* Combine hml variables in the PR file with the ml variables in the KR file

use "NGPR7BFL.DTA", clear

keep if `hc1<`.

rename hv001 cluster

rename hv002 hh

rename hvidx line

keep cluster hh line hml32

sort cluster hh line

save NGPRtemp.dta, replace

use "NGKR7BFL.DTA", clear

keep if `b16>0 & b16<`.

rename v001 cluster

rename v002 hh

rename b16 line

keep cluster hh line v0* ml* hw*

sort cluster hh line

merge cluster hh line using NGPRtemp.dta

tab hml32 `_merge`,m

// keep if `_merge==3 & hml32<`.

keep if `hw1<`.

drop `_merge`

tab hml32

tab hw1 hml32
