## Subject: Sierra Leone 2017 MICS6 Posted by anum.ali on Wed, 14 Dec 2022 19:36:52 GMT View Forum Message <> Reply to Message

Hello

I am trying to generate IYCF indicators for Sierra Leone 2017 MICS Table TC.7.7: Infant and young child feeding (IYCF) practices, minimum dietary diversity, minimum meal frequency and minimum acceptable diet correct estimates are generated for currently breastfeeding and atleast 2 milk feeds for currently not breastfeeding, but minimum meal frequency estimates generated are very close to table ones for among all but not for currently not breastfeeding, minimum dietary diversity estimates are not correct for both currently not breastfeeding and among all, I am trying to troubleshoot and understand how same definition is working for breastfeeding but not for currently not breastfeeding and among all although total (N) coming is correct.

For MICS surveys for duration of breastfeeding there are two variables 1) ever been breastfed 2) still being breastfed as per my understanding from Nigeria surveys still being is currently breastfeeding and ever been breastfed is currently not breastfeeding although for MICS 2010 I used only still being breastfeed and got correct estimates for both current and not currently breastfeed children would like your suggestion for this.

Following is the code I used:

\*\* keep youngest child if under 24 \*\* keep if CAGE < 24

//currently breastfed gen bf\_curr= BD3==1 label values bf\_curr yesno label var bf\_curr "Currently breastfeeding"

\*\*\* Foods and Liquids consumed \*\*\*

\*\* Liquids\*\*

//Given infant formula gen inf\_formula= BD7D==1 label values inf\_formula yesno label var inf\_formula "Child given infant formula"

//Given other milk, including fresh, tinned, and powdered animal milk gen othr\_milk= BD7E==1 label values othr\_milk yesno label var othr\_milk "Child given other milk"

//Given other liquids, including juice, juice drinks, clear broth, or other non-milk liquids. Does not include plain water gen othr\_liquids= BD7B==1 | BD7C==1 | BD7X==1 label values othr\_liquids yesno label var othr\_liquids "Child given other liquids"

\*\* Solid or Semi-Solid foods\*\*

//Given fortified baby food
gen forti\_bbyfood= BD8B==1
label values forti\_bbyfood yesno
label var forti\_bbyfood "Child given fortified baby food"

//Given grains gen grains= BD8C==1 label values grains yesno label var grains "Child given grains"

//Given Vit A rich foods gen vita= BD8D==1 | BD8F==1 | BD8G==1 label values vita yesno label var vita "Child given vitamin A rich food"

//Given other fruits and vegetables
gen othr\_frtveg= BD8H==1
label values othr\_frtveg yesno
label var othr\_frtveg "Child given other fruits or vegetables"

//Given roots and tubers
gen root\_tubers= BD8E==1
label values root\_tubers yesno
label var root\_tubers "Child given roots or tubers"

//Given legumes or nuts
gen legumes\_nuts= BD8M==1
label values legumes\_nuts yesno
label var legumes\_nuts "Child given legumes or nuts"

//Given meat, fish, shellfish, or poultry gen meatfish= BD8I==1 | BD8J==1 | BD8L==1 label values meatfish yesno label var meatfish "Child given meat, fish, shellfish, or poultry"

//Given eggs gen eggs= BD8K==1 label values eggs yesno label var eggs "Child given eggs"

//Given dairy gen dairy= BD8A==1 | BD8N==1 label values dairy yesno label var dairy "Child given cheese, yogurt, or other milk products"

//Given other solid or semi-solid foods
gen solids= forti\_bbyfood==1 | grains==1 | vita==1 | othr\_frtveg==1 | root\_tubers==1 |
legumes\_nuts==1 | meatfish==1 | eggs==1 | dairy==1 | BD8X==1
label values solids yesno
label var solids "Child given any solid or semisolid food"

\*\*\* Minimum feeding indicators \*\*\*

//Fed milk or milk products
gen milkf = 0
replace milkf=milkf + BD7D1 if BD7D1<8
replace milkf=milkf + BD7E1 if BD7E1<8
replace milkf=milkf + BD8A1 if BD8A1<8
gen fed\_milk= (milkf>=2 | BD3==1) if inrange(CAGE,6,23)
label values fed\_milk yesno
label var fed\_milk "Child given milk or milk products"

//Min dietary diversity\* 8 food groups

\*1. breastmilk gen group1= BD3==1

\*2. foods made from grains, roots, tubers, and bananas/plantains, including porridge and fortified baby food from grains gen group2= grains==1 | root tubers==1 | forti bbyfood==1

\*3. legumes and nuts gen group3= legumes\_nuts==1

\*4. infant formula, milk other than breast milk, cheese or yogurt or other milk products gen group4= inf\_formula==1 | othr\_milk==1 | dairy==1

\*5. meat, poultry, fish, and shellfish (and organ meats) gen group5= meatfish==1

```
*6. eggs
gen group6= eggs==1
```

```
*7. vitamin A-rich fruits and vegetables
gen group7= vita==1
```

```
*8. other fruits and vegetables
gen group8= othr_frtveg==1
```

\* add the food groups egen foodsum = rsum(group1 group2 group3 group4 group5 group6 group7 group8) recode foodsum (1/4 .= 0 "No") (5/8=1 "Yes"), gen(mdd) replace mddnew=. if CAGE<6 label values mdd yesno label var mdd "Child with minimum dietary diversity, 5 out of 8 food groups-among children 6-23 months"

//Min meal frequency
gen feedings=milkf
replace feedings= feedings + BD9 if BD9>0 & BD9<8
gen mmf = (BD3==1 & inrange(BD9,2,7) & inrange(CAGE,6,8)) | (BD3==1 & inrange(BD9,3,7) &
inrange(CAGE,9,23)) | (BD3!=1 & feedings>=4 & inrange(CAGE,6,23))
replace mmf=. if CAGE<6
label values mmf yesno
label var mmf "Child with minimum meal frequency- 6-23 months"</pre>

Page 4 of 4 ---- Generated from The DHS Program User Forum