
Subject: Re: Teenage pregnancies by year 2015 to 2022

Posted by [Melyn](#) on Thu, 07 Mar 2024 20:50:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

My goal is to analyse teenage pregnancies by year (2017 to 2022). This is what I have managed to do on Stata. My reshape command, even though it produces results, does not give the desired transformation of the dataset. This is where I am stuck and need help. I imagine a transformed dataset having 3 variables: Year (2017-2022), Total teenage pregnancies and Age-groups.

```
use KEIR8BFL.DTA, clear
```

```
*TEENAGERS: age-groups 15-19 and 20-24
keep if v013==1 | v013==2
```

```
*YEARS FOR ANALYSIS: keep only years 2017 to 2022 for the variables relating to year of
pregnancy outcome (p2_01 to p2_20)
foreach var of varlist p2_01-p2_20 {
```

```
    replace `var' = 0 if `var' < 2017 | `var' > 2022
}
```

```
*assess which variables have missing observations (zero values)
foreach var of varlist p2_01-p2_20 {
    tabulate `var', missing
}
```

```
*drop pregnancy outcome variables with missing observations
drop p2_10-p2_20
```

```
*TEENAGE PREGNANCY VARIABLES: v201 "Total children ever born", v213 "Currently
pregnant", v245 "Pregnancy losses"
```

```
*keeping only variables required for analysis of 2017 to 2022 trend analysis of teenage
pregnancies for the age groups 15-19 and 20-24
keep v201 v213 v245 v013 p2_01-p2_09
```

```
*Recode "v213" into "preg_status_numeric" by generating a new variable "preg_status_numeric"
based on "v213" such that "no or unsure" takes the value "0" and "yes" takes "1"
recode v213 (0=0) (1=1), generate(preg_status_numeric)
```

```
drop v213
```

```
*Rename variable to original name for ease of referencing
rename preg_status_numeric v213
```

```
*Generate a variable that sums up teenage pregnancies for the 3 related variables
```

```
gen Total_TeenagePreg=v201+v213+v245
```

```
*TRANSFORMING THE DATA for ease of analysis
```

```
*Sort the dataset by the age-group variable  
sort v013
```

```
*Creating a new identifier variable named "id"  
gen id = _n
```

```
*reshape the variables p2_01 through p2_09 from wide to long format, creating a new variable  
named outcome_year  
reshape long p2_, i(id) j(outcome_year)
```
