
Subject: Merge BR & HW data

Posted by [Adetunji](#) on Wed, 08 Jan 2025 15:56:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have been working with KR files for a while and have successfully merged the HW files with the KR files in the older surveys to get the anthropometric dataset of children. However, I am concerned that not accounting for dead children might have biased my result. I want to check using the BR recode, but I am not sure if my code is merging correctly, as there are many unmatched files -- similar to the number when I merged KR file with HW file.

I fear that this command has dropped the dead children that I am interested in.

```
use "${br2003}", clear
gen hw hid = substr(caseid,1,12)
clonevar hwline = b16
sort hw hid hwline
merge m:1 hw hid hwline using "${hw2003}"
keep if _merge==3
drop _merge
```

```
//Rename the anthropometric variables to make it comparable to the earlier surveys
rename hc70 hw70
rename hc71 hw71
rename hc72 hw72
rename hc73 hw73
```

```
//Save the merged dataset
save "${temp}/br_hw_2003", replace
```

```
use "${hw1990}", clear
rename hw caseid caseid
rename hwline bidx
```

```
merge 1:1 caseid bidx using "${br1990}"
tab _merge
drop _merge
```

```
//Rename the anthropometric variables to make it comparable to the earlier surveys
rename hc70 hw70
rename hc71 hw71
rename hc72 hw72
rename hc73 hw73
```

```
//Save the merged dataset  
save "${temp}/br_hw_1990", replace
```

Can you please advise on what to do and if this is okay?
