

---

Subject: Contraceptive calendar in Nigeria 2013 dataset

Posted by [CCOX](#) on Wed, 15 Jul 2015 20:34:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear DHS,

I am working with a few colleagues on an analysis that will utilize data from the contraceptive calendar in the Nigeria 2013 dataset. We are running into a few issues and hope to get some guidance.

1. In the recode manual, it states that the calendar data are stored as single variables of 80 characters. In the Nigeria 2013 dataset, it appears that there are only 67 characters. Is this correct?
2. Our next question refers to vcal\_1. It is my understanding that the earliest positions in the string variable relate to the most recent times and the end of the string relates to further back in time. When we use the code below to destring the variable we find that the last positions for some respondents are blank. It is my understanding that the blank positions correspond to the months after the month of the interview, thus shouldn't the blanks appear in the first positions because they would be the most recent times?
3. Our next question refers to vcal\_2. When we use the code below to destring vcal\_2, we find that when a respondent provides a reason for contraceptive discontinuation it appears in the 1st position regardless of when the respondent actually discontinued the contraceptive method. I would expect that the reason for discontinuation would be entered in the position that corresponds to the date of discontinuation from vcal\_1. Is our code below used to destring vcal\_2 incorrect?
4. Our last question refers to vcal\_3, which according to the recode manual is the column that records episodes of marriage. Does the Nigeria 2013 dataset include vcal\_3? If so, is the variable called something else? We can't seem to find it in the dataset.

Code for questions 2 and 3:

```
format %67s vcal_1
```

```
gen cal1 = substr(vcal_1,1,1)
gen cal2 = substr(vcal_1,2,1)
gen cal3 = substr(vcal_1,3,1)
gen cal4 = substr(vcal_1,4,1)...
gen cal67 = substr(vcal_1,67,1)
```

```
format %67s vcal_2
```

```
gen discal1 = substr(vcal_2,1,1)
gen discal2 = substr(vcal_2,2,1)
gen discal3 = substr(vcal_2,3,1)
gen discal4 = substr(vcal_2,4,1)...
```

```
gen discal67 = substr(vcal_2,67,1)
```

```
reshape long cal discal, i(caseid) j(event_time)
```

Thank you very much for your assistance!

Sincerely,

Carie

---