

---

Subject: error after svyset for higher spatial resolution  
Posted by [fabienne](#) on Thu, 13 Aug 2015 14:35:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello everyone

I am working with DHS VI from Guinea (2012), particularly with household-level data and I use Stata for statistical analyses.

The smallest geographical frame in the data is the region (ADM-1), but I need data at higher spatial resolution (ADM-2). I have therefore reclassified the cluster location by préfecture using the GIS data. I thus now have an additional variable which identifies the préfecture for each household. The minimum number of clusters I per préfecture is 2.

My aim is to produce summary estimates of variables such as hv204 or hv207 at préfecture level.

My syntax is:  
svyset hv021 [pw=weight], strata(hv022)  
svy:mean hv204, over(prefecture)

However I get an error message after this command:

```
no observations  
r(2000);
```

If I ignore the svy design, I get estimates for all préfectures, I suspect it must be related to the svyset command? Is it because in one préfecture I have only 2 clusters?

Or I have to adjust the weights, or the strata(hv022) or the PSU (hv021) and if yes, how would I need to change it?

Of note, the error does not occur if I use a categorical variable for tabulation (using svy: tab prefecture hv025)

Thank you very much.  
Kind regards, Fabienne