
Subject: Re: NFHS3 - Weights and Survey command
Posted by [Bridgette-DHS](#) on Sat, 15 Aug 2015 14:44:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Following is a response from Senior DHS Stata Specialist, Tom Pullum:

For summary statistics, you can usually manage with `iweights`. You should virtually never use `aweight`s. The definition "analytical" for the "a" is very misleading. Read "help `aweight`"--they can be a big help if you are combining means that are based on different numbers of cases but not otherwise. Use, for example, "summarize x [`iweight=v005/1000000`]"

For virtually all estimation models, you can use `svy`, with `pweights`. I am not aware of the warning you mention. Some people, usually economists, are opposed to using any weights in estimation models. Perhaps that's where the warning came from, but it would not just be for ML estimation.

You can get the syntax for `svyset` with "help `svyset`". It has changed slightly with version 14. In DHS surveys, the cluster variable is `v001` or `v021`, they should be identical. You use "`pweight=v005`"; no need to divide by 1000000. Stata automatically normalizes `pweights` to have a mean of 1. See other posts for the `stratum` variable; it is not always the same. After specifying `svyset`, to apply it, you put "`svy:`" at the beginning of an estimation command, e.g. "`svy: regress y x`".

Summary statistics with weights can be difficult. For example, "`tab A B, summarize(x)`" doesn't like `iweights`, let alone `pweights`. The "`collapse`" command can be problematic. However, if all else fails, for such commands, you can use "`[fweight=v005]`" and just ignore the huge frequencies; means will be correctly weighted.