
Subject: Discrepancy with estimates from Tables 11.1 and 11.2 in Niger 2012 DHS
Posted by [dgodha](#) on Wed, 20 Jan 2021 12:20:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear DHS Experts,

I am estimating early initiation of breastfeeding (BF), exclusive BF, and BF associated with water for Niger using the following commands but my estimates do not match those in Tables 11.1 and 11.2 of Niger 2012 DHS report.

*Use Niger 2012\NIKR61FL.DTA

*Child's age

*tab b19 /*Not found*/

gen age= v008-b3

tab age

*Child age-group

recode age (0/1=1 "0-1") (2/3=2 "2-3") (4/5=3 "4-5") (6/8=4 "6-8") ///

(9/11=5 "9-11") (12/17=6 "12-17") (18/23=7 "18-23") (else=.), gen(child_age_grp)

tab child_age_grp

/*Early initiation of BF*/

*Children born in the last 24 months who were put to the breast within one hour of birth

gen early_init=0 if age<24

replace early_init=1 if m34<101 & age<24

la val early_init A

label var early_init "Early initiation of BF"

tab v013 early_init

*Exclusive breast feeding

gen water=0

gen liquids=0

gen milk=0

gen solids=0

gen breast=0

gen bottle=0

*TO DETERMINE IF CHILD IS GIVEN WATER, SUGAR WATER, JUICE, TEA OR OTHER.

replace water=1 if (v409>=1 & v409<=7)

* IF GIVEN OTHER LIQUIDS

foreach xvar of varlist v409a v410 v410* v413* {

replace liquids=1 if `xvar'>=1 & `xvar'<=7

}

cap replace liquids=1 if v412c>=1 & v412c<=7

* IF GIVEN POWDER/TINNED MILK, FORMULA OR FRESH MILK

foreach xvar of varlist v411 v411a v412 v414p {

```
replace milk=1 if `xvar'>=1 & `xvar'<=7
}
```

* IF STILL BREASTFEEDING

```
replace breast=1 if m4==95
```

* IF WAS EVER BOTTLE FED

```
replace bottle=1 if m38==1
```

*IF GIVEN ANY SOLID FOOD

```
foreach xvar of varlist v414* m39a{
replace solids=1 if `xvar'>=1 & `xvar'<=7
}
replace solids=1 if v412a==1 | v412b==1
```

gen diet=7

```
replace diet=0 if water==0 & liquids==0 & milk==0 & solids==0
```

```
replace diet=1 if water==1 & liquids==0 & milk==0 & solids==0
```

```
replace diet=2 if      liquids==1 & milk==0 & solids==0
```

```
replace diet=3 if      milk==1 & solids==0
```

```
replace diet=4 if      milk==0 & solids==1
```

```
replace diet=5 if      milk==1 & solids==1
```

```
replace diet=6 if breast==0
```

```
label define diet 0"given only milk" 1"given only water" 2"given only liquids" 3"given only milks" ///
4"given only solids" 5"given only milk and solids" 6"not still breastfeeding" ///
7"not now being breastfed"
```

```
label var diet "Breastfeeding status1"
```

```
label val diet diet
```

```
recode diet (6/7=0 "Not breastfed")(0=1 "Exclusively breastfed")(1=2 "Breastfeeding and water
only") (2=3 "Breastfed and liquids, no milks")(3=4 "Breastfed and other milks")(4/5=5 "Breastfed
and food complement"), gen(BF)
```

My estimates are as follows:

*Check with Table 11.1 (Page 161)

```
svy:tab early_init ,col percent
```

```
*Population size = 5,335.4724; 51.03%
```

```
svy:tab early_init if b9==0,col percent
```

```
*Population size = 5,047.2482; 52.4%
```

DHS Report: Population size = 5,079; 52.9%

*Check with Table 11.2 (Page 163)

```
svy:tab child_age_grp BF if b9==0, row percent nolab
```

For 0-1 month

Non allaités 2.7 (DHS estimate) 4.2 (My estimate)

Exclusivement allaités 34 (DHS estimate) 33.5 (My estimate)

Allaités et eau seulement 52.5 (DHS estimate) 51.7 (My estimate)

For 2-3 months

Non allaités 1.3 (DHS estimate) 2.9 (My estimate)

Exclusivement allaités 24 (DHS estimate) 23.6 (My estimate)

Allaités et eau seulement 61.4 (DHS estimate) 60.4 (My estimate)

For 4-5 months

Non allaités 1.6 (DHS estimate) 2.3 (My estimate)

Exclusivement allaités 13.3 (DHS estimate) 13.2 (My estimate)

Allaités et eau seulement 52.1 (DHS estimate) 51.8 (My estimate)

Though not shown here, the count is an exact match. I will request your guidance in resolving this.

Many thanks

Deepali

Subject: Re: Discrepancy with estimates from Tables 11.1 and 11.2 in Niger 2012
DHS

Posted by [Shireen-DHS](#) on Fri, 29 Jan 2021 14:52:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Deepali,

The code below will match the tables. This code is available on on code share library hosted on the GitHub website (<https://github.com/DHSProgram>). Please read the readme file first. The indicators you are interested in are found here (https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap11_NT). Before running any code please read the notes in the main file or the specific do file you are using.

For Table 11.1:

Actually the denominator for the early initiation of breastfeeding is 5,143 (see the 4th column in the table).

The code below matches the table.

*open KR file

**** child's age ****

gen age = v008 - b3

*code copied from the NT_BF_INIT.do file

//Start breastfeeding within 1 hr

```
gen nt_bf_start_1hr= (m4!=94 & m4!=99) & (inrange(m34,0,100)) if (midx==1 & age<24)
label values nt_bf_start_1hr yesno
label var nt_bf_start_1hr "Started breastfeeding within one hour of birth - last-born in the past 2
years"
```

```
gen wt=v005/1000000
```

```
tab nt_bf_start_1hr [iw=wt]
```

*I obtain 52.9% and 5143 cases as in the table.

For Table 11.2:

For this indicator you need to select for the youngest child under 24 months living with the mother. As shown in the NTmain.do file on line 97 this is done as follows:

* Selecting for youngest child under 24 months and living with mother

```
keep if age < 24 & b9 == 0
```

* if caseid is the same as the prior case, then not the last born

```
keep if _n == 1 | caseid != caseid[_n-1]
```

*note this will drop cases so it should only be done if you are analyzing IYCF indicators.

*the following code was copied from the NT_IYCF.do file from line 49 to 86 to get the breastfeeding status indicator.

```
//currently breastfed
```

```
gen nt_bf_curr= m4==95
```

```
label values nt_bf_curr yesno
```

```
label var nt_bf_curr "Currently breastfeeding - last-born under 2 years"
```

```
//breastfeeding status
```

```
gen water=0
```

```
gen liquids=0
```

```
gen milk=0
```

```
gen solids=0
```

*Child is given water

```
replace water=1 if (v409>=1 & v409<=7)
```

*Child given liquids

```
foreach xvar of varlist v409a v410 v410a v412c v413*{
```

```
replace liquids=1 if `xvar'>=1 & `xvar'<=7
```

```
}
```

*Given powder/tinned milk, formula, or fresh milk

```
foreach xvar of varlist v411 v411a {
```

```
replace milk=1 if `xvar'>=1 & `xvar'<=7
```

```
}
```

*Given any solid food

```
foreach xvar of varlist v414* {
  replace solids=1 if `xvar'>=1 & `xvar'<=7
}
replace solids=1 if v412a==1 | v412b==1 | m39a==1
gen nt_bf_status=1
replace nt_bf_status=2 if water==1
replace nt_bf_status=3 if liquids==1
replace nt_bf_status=4 if milk==1
replace nt_bf_status=5 if solids==1
replace nt_bf_status=0 if nt_bf_curr==0
label define bf_status 0"not bf" 1"exclusively bf" 2"bf & plain water" 3"bf & non-milk liquids" 4"bf &
other milk" 5"bf & complemenatry foods"
label values nt_bf_status bf_status
label var nt_bf_status "Breastfeeding status for last-born child under 2 years"
```

//Age categories

```
cap recode age (0/1=1 " 0-1") (2/3=2 " 2-3") (4/5=3 " 4-5") (6/8=4 " 6-8") (9/11=5 " 9-11") (12/17=6
" 12-17") (18/23=7 " 18-23") , gen(agecats)
```

```
tab agecats nt_bf_status [iw=wt], row
```

* This matches the final report (Table 11.2) by age categories. For instance I obtain for age 0-1 I obtain 2.7% for not breastfed and 415 cases.

Thank you.

Shireen Assaf
The DHS Program

Subject: Re: Discrepancy with estimates from Tables 11.1 and 11.2 in Niger 2012
DHS

Posted by [dgodha](#) on Thu, 04 Feb 2021 13:00:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Shireen,

Thank you for your guidance.

Deepali
