
Subject: Calculating ICC

Posted by [Ghose](#) on Tue, 30 Mar 2021 13:36:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I am working with Benin IR data to explore the factors associated with educational achievement (v106). My supervisor suggested that I check ICC value first since the data are clustered, and then choose between -logit- and -melogit- depending on whether the ICC is above the threshold of 0.15. Now it seems ICC can be calculated both before:

. lneway v106, v021

Intraclass correlation	Asy. S.E.	[95% Conf. Interval]	
0.25242	0.01320	0.22655	0.27829

and after melogit:

melogit v106, || v021:

eststat ICC

Level	ICC	Std. Err.	[95% Conf. Interval]	
v021	.3073749	.0158921	.2771332	.3393674

As you can see, these two methods produce dissimilar results. Despite the necessity of using -melogit- being obvious, I'd like to know the right course of action to follow: before/after/both?

Thank you.

Dr Ghose

Subject: Re: Calculating ICC

Posted by [Bridgette-DHS](#) on Wed, 31 Mar 2021 20:33:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Research & Data Analysis Director, Tom Pullum:

I really don't know why the two procedures give you such different estimates, but since you will be proceeding with melogit, I recommend that you use the ICC estimate coming from melogit rather than from loneway.
