
Subject: Creating some variables

Posted by [ashraf](#) on Tue, 24 Aug 2021 19:49:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Sara and SPA experts,

I am trying to replicate table 3.5 and 3.7 of Afghanistan SPA 2018-19 report in Stata. I was unable to create the first two variables -Sterilization equipment and equipment for high-level disinfection of table 3.5 and variable "X ray machine" of table 3.7. My codes are:

```
gen wgt=facwt/1000000
```

```
*Sterilization equipment
```

```
gen str=0
```

```
replace str=1 if (q201==1 | q201==2) & ((q501a_03==1 & q501b_03==1) | (q501a_05==1 & q501b_05==1) | (q501a_06==1 & q501a_07==1 & q501b_07==1))
```

```
tab str [iw=wgt]
```

```
*High level disinfection
```

```
gen hidis=0
```

```
replace hidis=1 if (q201==1 | q201==2) & ((q501a_03==1 & q501b_03==1) | (q501a_05==1 & q501b_05==1) | (q501a_06==1 & q501a_07==1 & q501b_07==1) | (q501a_10==1 &
```

```
inrange(q502g_5,1,3)))
```

```
tab hidis [iw=wgt]
```

```
*X ray machine
```

```
gen xray=0
```

```
replace xray=1 if (q881a_1==1 & q881b_1==1) | (q881a_2==1 & q881b_2==1)
```

```
tab xray [iw=wgt]
```

It looks like I am using the correct variables according to the footnotes of the tables, but I am not getting the same % as the final report table. I want to get the same % of the report table. I would greatly appreciate any help with this matter.

Regards,

Ashraf

Subject: Re: Creating some variables

Posted by [SaraDHS](#) on Wed, 25 Aug 2021 15:18:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear ashraf,

Please compare the footnotes from the table to the question numbers in the questionnaire and the way the variables are coded in the dataset. In some cases, there may be country-specific questions that have different numbers, or may be q501_01 vs q501_1. One cannot simply copy the same code from one country to another. In the case of sterilization equipment and high level disinfection equipment, please correct your code using the footnotes, the questionnaire, and the dataset. If you do this, you should get the same numbers as the final report.

For the xray machine, in Afghanistan, this is limited to 1) facilities which use xray for tb diagnosis

AND 2) facilities which provide laboratory services AND 3) have a functional digital xray machine OR a functional xray machine with unexpired film.

Best of luck,
Sara

Subject: Re: Creating some variables
Posted by [ashraf](#) on Thu, 26 Aug 2021 12:35:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Sara,
Thanks a lot for your kindest support and I was able to create the variables except "equipment for high level disinfection" of table 3.5.
I have tried to create this variable according to the footnote, and questionnaire but unable to match with the report table.
The code is:
gen sw=facwt/1000000
gen ste=0
replace ste=1 if (q201==1 | q201==2) & ((q501a_1==1 & q501b_1==1) | (q501a_3==1 & q501b_3==1) | (q501a_6==1))
tab ste [iw=sw]

Would it be possible to get the correct code of this variable?

Regards,
Ashraf

Subject: Re: Creating some variables
Posted by [SaraDHS](#) on Mon, 30 Aug 2021 12:16:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Ashraf,
You are using incorrect variables. Please doublecheck the notes in the table and the questionnaire with the variables you used to define high level disinfection. If you recreate the definition as described in the footnotes with the correct variables, you will get the same value as the final report.

Best,
Sara

Subject: Re: Creating some variables
Posted by [ashraf](#) on Tue, 31 Aug 2021 06:23:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Sara,

Thanks for your response. According to the footnotes, and questionnaire I have tried with the following code to create variable "equipment for high level disinfection" of table 3.5 in Afghanistan SPA 2018-19.

```
gen wgt=facwt/1000000
gen hlvds=0
replace hlvds=1 if (q201==1 | q201==2) & ((q501a_3==1 & q501b_3==1) | (q501a_5==1 &
q501b_5==1) | (q501a_6==1) | inrange (q502g_5,3,5))
tab hlvds [iw=wgt]
```

Unfortunately, I am not getting the % as of the table. Please help me to create this variable.

Regards,
Ashraf

Subject: Re: Creating some variables
Posted by [SaraDHS](#) on Tue, 31 Aug 2021 13:20:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear ashraf,

The definition provided in the footnotes is:

Facility reports that some instruments are processed in the facility, and the facility has an electric pot or other pot with heat source for high-level disinfection by boiling or high-level disinfection by steaming, or else facility has chlorine, formaldehyde, CIDEX, or glutaraldehyde for chemical high-level disinfection available somewhere in the facility on the day of the survey.

Let's look at the dataset, questionnaire and your code:

```
replace hlvds=1 if (q201==1 | q201==2)    /// Facility reports that some instruments are
processed in the facility. Good, this is correct.
& ((q501a_3==1 & q501b_3==1)            /// As described in the questionnaire, q501a_3 and
q501b_3 are asking about an electric dry heat stabilizer. This is not included in the definition. An
electric pot, boiler, or steamer is q501a_4.
| (q501a_5==1 & q501b_5==1) | (q501a_6==1) | /// Again, look at the questionnaire and the data
set and correct your code. Does q501_5 have both a and b? Is the definition saying "facility has
functioning other pot OR heat source"? Because that is what your code is telling Stata.
inrange (q502g_5,3,5))                  ///If you use q502g you need to also use q501a_9, which
says that the facility uses any chemicals for HLD, then define which chemicals fall within the
definition.
```

If you correct your code according to the definition and the dataset, you will get the same % as in the final report.

Best,
Sara
