

---

Subject: Utilization of ICDS services, India, NFHS-5  
Posted by [kclakhara](#) on Sun, 24 Jul 2022 11:06:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Sir/Madam,

I am getting correct base number but not getting reported percentages from the raw data of the table "Table 9.18 Indicators of utilization of ICDS services, India, NFHS-5.

I used variables for the following indicators:

1. Children Were weighed (0-59 months): s563<=3
2. Children went for early childhood care/ preschool (36-71 months): s562<=2
3. Received health checkups: s560<=2
4. Received immunizations: s561=1
5. Received food supplements: s559<=4

Please find attached the output table and suggest to get reported figures from the raw data.

Regards,

Kailash

---

#### File Attachments

1) [Table\\_9.18\\_NFHS-5.xlsx](#), downloaded 151 times

---

---

Subject: Re: Utilization of ICDS services, India, NFHS-5  
Posted by [Shireen-DHS](#) on Thu, 01 Sep 2022 12:31:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

For table 9.18 you actually need to select for children under age 6 not under age 5. This is shown in the heading of the table. Only some indicators select for children under age 5.

The Stata code below will match the percentages. The reported denominator in the table is actually for children under 5 not children under 6 as indicated in the table.

Also for the last indicator in the table, percentage whose mothers received counselling from an AWC after child was weighed, the table used the incorrect variable. The variable s564 should have been used but s561 was used (see the attached code).

Thank you.  
Best,  
Shireen Assaf  
The DHS Program

\* Code to match Table 9.18 for the India 2019-22 survey

use "IABR7BFL.DTA"

\*table is for live children under age 6

keep if b19<72

keep if b5==1

gen wt=v005/1000000

tab s558 [iw=wt]

gen food=0

replace food=1 if s559>=1 & s559<=4

tab food [iw=wt]

gen vacc=s561==1

tab vacc [iw=wt]

gen check=0

replace check=1 if s560==1 | s560==2

ta check [iw=wt]

gen presch =0

replace presch=1 if s562==1 | s562==2

replace presch=. if b19<36 //indicator is for children ag 36-71

ta presch [iw=wt]

gen weighed= 0

replace weighed =1 if s563>=1 & s563<4

replace weighed =. if b19>59 //indicator is for children under 5

tab weighed [iw=wt]

gen counsel=0

replace counsel =1 if s564==1 //s561 ==1 was used in the table but that is not the right variable

replace counsel=. if weighed!=1

tab counsel [iw=wt]

---