

---

Subject: DHS India Differences in Reported and Generated Figures using KR & PR files (DHS 2019-21)

Posted by [marian](#) on Wed, 05 Oct 2022 18:47:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I have tried to match stata generates estimates with NFHS India reports.

Using PR file, the differences in both prevalence and number of children for all 3 anthropometric indicators is different for DHS 2019. The code is generating all other years of DHS correctly. Any way to generate prevalence using PR 2019-21 file correctly?

Using KR file, the prevalence rates for all 3 indicators is matching but the number of children in India report is different (DHS 2019-21). I just want to be sure why this is happening. Example given below

Using KR file for <60 months, number of children for WAZ

India report = 205,641

Generated= 205,551

Code used for KR file:

```
gen uw = .  
replace uw = 1 if hw71<-200  
replace uw = 0 if hw71 >-200 & hw71<9990
```

```
ta uw [iw=v005/1000000] if hw1 < 60
```

Please help

---

---

Subject: Re: DHS India Differences in Reported and Generated Figures using KR & PR files (DHS 2019-21)

Posted by [Janet-DHS](#) on Thu, 06 Oct 2022 12:43:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Following is a response from DHS staff member Tom Pullum:

I will paste below Stata code to get the indicators from the KR and PR files. Basically just what you did, but it is not necessary to restrict on age. The relevant variables are NA (a dot) if the child is out of range.

I too do not match the n's in the report, but we almost never match the NFHS reports. Note that we are now on version D of the NFHS-5 data files. A more realistic goal would be to match STATcompiler, but even that is very difficult.

```
use "...IAKR7DFL.DTA", clear
```

```
gen haz=hw70/100 if hw70>-600 & hw70<600  
gen waz=hw71/100 if hw71>-600 & hw71<500  
gen whz=hw72/100 if hw72>-500 & hw72<500
```

```
gen stunted=0 if haz<.  
replace stunted=1 if haz<-2
```

```
gen underweight=0 if waz<.  
replace underweight=1 if waz<-2
```

```
gen overweight=0 if whz<.  
replace overweight=1 if whz<. & whz>2
```

```
gen wasted=0 if whz<.  
replace wasted=1 if whz<-2
```

```
tab1 stunted underweight overweight wasted [iweight=v005/1000000]
```

```
use "...IAPR7DFL.DTA", clear
```

```
gen haz=hc70/100 if hc70>-600 & hc70<600  
gen waz=hc71/100 if hc71>-600 & hc71<500  
gen whz=hc72/100 if hc72>-500 & hc72<500
```

```
gen stunted=0 if haz<.  
replace stunted=1 if haz<-2
```

```
gen underweight=0 if waz<.  
replace underweight=1 if waz<-2
```

```
gen overweight=0 if whz<.  
replace overweight=1 if whz<. & whz>2
```

```
gen wasted=0 if whz<.  
replace wasted=1 if whz<-2
```

```
tab1 stunted underweight overweight wasted [iweight=hv005/1000000]
```



Subject: Re: DHS India Differences in Reported and Generated Figures using KR & PR files (DHS 2019-21)

Posted by [marian](#) on Thu, 06 Oct 2022 18:16:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thank you so much for your reply. I was really worried about getting a difference in sample figures despite the correct prevalence in NFHS-5 reports as I never faced this problem with previous rounds.

I also faced this problem with exclusive breastfeeding (EBF) under 6m status for DHS 2019-21. Please guide how the EBF status can be tabulated correctly for wasted/stunted children using PR or KR file given the sample reference (youngest child living with mother).

---