
Subject: Survival status of preceding birth
Posted by [eibrahim](#) on Sat, 08 Oct 2022 13:15:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Greetings,

I would like to explain underfive mortality risk of index birth with the variable "survival status of preceding birth" using Bangladesh DHS birth recode. However, I do not have a clue on applicable Stata code to generate the variable. Specifically, I want the "survival status of the preceding birth" variable be explicitly classified as:

0 "Preceding birth survived"
1 "Preceding birth died before succeeding birth was conceived"
2 "Preceding birth died after succeeding birth was conceived/born"
3 "No preceding birth/Firstborn"

Any hint on achieving this task will be deeply appreciated.

Best,
Ibrahim

Subject: Re: Survival status of preceding birth
Posted by [Janet-DHS](#) on Wed, 12 Oct 2022 16:17:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS staff member Tom Pullum:

Your question is outside the range of the DHS users forum but I already had a program to merge successive siblings and I just needed to adapt it for your purposes. I have modified your outcome variable, but just by omitting cases of type 3. Because most deaths occur at a very early age, there are many more cases of type 1 than of type 2.

* Program to construct pairs of children, a reference child plus next earlier sibling

* This example does not include the mother's variables

* b3 is cmc of birth

* b7 is (imputed) months of age at death.

* b11 is the interval between the two siblings, in months

* Specify a path to a workspace

cd e:\DHS\DHS_data\scratch

use v001 v002 v003 v008 b* using "...BDBR7RFL.DTA", clear

```
* To get b7r, add 6 months if b7 is >=24 and a multiple of 12.
* Do not change if the change would be later than the date of interview.
gen b7r=b7
replace b7r=b7+6 if b7>=24 & b7==12*int(b7/12) & b7+6<v008
```

```
egen sibsize=count(bidx),by(v001 v002 v003)
```

```
* construct two files, one for the younger child in a pair and one for the older child
sort v001 v002 v003 bidx
save temp_younger.dta, replace
```

```
rename b* b*_sib
```

```
* attach the child with bidx=2 to the child with bidx=1
* attach the child with bidx=3 to the child with bidx=2
* etc.
```

```
gen bidx=bidx_sib-1
```

```
sort v001 v002 v003 bidx
merge v001 v002 v003 bidx using temp_younger.dta
tab _merge
```

```
* the child with bidx=1 does not get attached to a younger sibling
* the child with bidx=sibsize does not get attached to an older sibling
* remove these two types of cases
drop if bidx==0 | bidx_sib==.
```

```
tab _merge
drop _merge
```

```
keep v001 v002 v003 bidx* b0* b3* b4* b5* b7* b11
```

```
gen sib_died=.
replace sib_died=0 if b5_sib==1
replace sib_died=1 if b5_sib==0 & b3_sib+b7r_sib<b3-9
replace sib_died=2 if b5_sib==0 & b3_sib+b7r_sib>=b3-9
```

```
label variable sib_died "Outcome for younger sib"
label define sib_died 0 "Alive" 1 "Died before" 2 "Died after"
label values sib_died sib_died
```

```
* "before" and "after" are relative to the month of conception of the reference child
```

```
order v001 v002 v003 bidx* b0* b3* b4* b5* b7_sib b7r_sib sib_died
```

```
list v001 v002 v003 bidx* b0* b3* b4* b7_sib b7r_sib b11 sib_died if _n<=50, table clean
compress
```

tab sib_died

* save with some filename and then merge with the BR or KR file to get weights and other variables

Subject: Re: Survival status of preceding birth
Posted by [eibrahim](#) on Fri, 14 Oct 2022 01:18:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

I sincerely appreciate your time spent in putting this together in such detail and making it available for public use.

It's all the solution I seek.

Hopefully, others will find it useful.

Best regards,
Ibrahim
