
Subject: KDHS 2014 : Percentage of men who have ever experienced physical violence since age 15

Posted by [sokiya](#) on Sun, 19 Nov 2023 05:04:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

I am trying to generate the indicator reported in the first column of the Table 16.1.2 - Percentage who have ever experienced physical violence since age 15 using the syntax below

use "KEMR72FL.DTA", clear

cap gen dwt = md005/1000000

cap label define yesno 0 "no" 1 "yes" //for all yes/no binary variables

****EXPERIENCED PHYSICAL VIOLENCE**

//ever

gen dv_phy = 0 if mv044==1

foreach z in a b c d e f g h i j k l m n {

 replace dv_phy = 1 if md105`z'>=1 & md105`z'<=4 //violence by current partner

}

replace dv_phy = 1 if md130a>=1 & md130a<=4 //violence by former partner

replace dv_phy = 1 if md115y==0 //violence by anyone other than partner

*replace dv_phy = 1 if d118y==0 //violence during pregnancy

label var dv_phy "Experienced physical violence since age 15"

label val dv_phy yesno

//in the last 12 months

gen dv_phy_12m = 0 if mv044==1

foreach z in a b c d e f g h i j k l m n {

 replace dv_phy_12m = 1 if md105`z'==1 | md105`z'==2

}

replace dv_phy_12m = 1 if md117a==1 | md117a==2 | md130a==1

label val dv_phy_12m yesno

label var dv_phy_12m "Experienced physical violence in past 12 mos"

replace dv_phy = 100 if dv_phy == 1

tabstat dv_phy [aw=dwt] if inrange(mv013, 1, 7), statistics(mean) save

I am finding the value 44.32217 for those aged 15-49 whereas the table reports 43.9.

Any help will be appreciated. Thanks in advance

Subject: Re: KDHS 2014 : Percentage of men who have ever experienced physical violence since age 15

Following is a response from Senior DHS staff member, Tom Pullum:

Here is the Stata code for the first column of table 16.1.2 in the Kenya 2014 report. The code for women (table 16.1.1) is the same except the mv variables for men are v variables for women. I had to go back to the original CSPro code. For some covariates, there is one category for which my estimate is a little lower than the final report. There may still be something missing but I cannot put more time into this. You can modify this to get the other columns of the table.

* Kenya 2014, Domestic Violence Module

* MEN: Table 16.1.2

use "C:\Users\26216\ICF\Analysis - Shared Resources\Data\DHSdata\KEMR72FL.DTA", clear

* Construct indicator for first column, ever violence

gen dv_phy=0 if mv044==1

```
foreach ll in a b c d e f {  
  replace dv_phy=1 if md105`ll'<. & md105`ll'>0  
}
```

```
replace dv_phy=1 if md115y==0  
replace dv_phy=1 if md118y==0  
replace dv_phy=1 if md130a<. & md130a>0
```

* Some recodes of covariates

gen age5=mv013

replace age5=4 if mv013>4

replace age5=5 if mv013>5

label define age5 1 "15-19" 2 "20-24" 3 "25-29" 4 "30-39" 5 "40-49"

label values age5 age5

gen marstat=mv501

replace marstat=1 if mv501==2

replace marstat=2 if mv501>2

label define marstat 0 "Never married" 1 "Married" 2 "Divorced, etc."

label values marstat marstat

* Distributions for first column (not complete)

tab age5 dv_phy if mv013<=7 [iweight=md005/1000000], row

tab mv130 dv_phy if mv013<=7 [iweight=md005/1000000], row

tab mv025 dv_phy if mv013<=7 [iweight=md005/1000000], row

tab mv024 dv_phy if mv013<=7 [iweight=md005/1000000], row

tab marstat dv_phy if mv013<=7 [iweight=md005/1000000], row

tab mv149 dv_phy if mv013<=7 [iweight=md005/1000000], row

tab mv190 dv_phy if mv013<=7 [iweight=md005/1000000], row

summarize dv_phy if mv013==8 [iweight=md005/1000000]
summarize dv_phy [iweight=md005/1000000]

Subject: Re: KDHS 2014 : Percentage of men who have ever experienced physical violence since age 15

Posted by [sokiya](#) on Wed, 22 Nov 2023 13:42:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks so much for the guidance. I sincerely appreciate.
