Subject: How to generate Month-Year birth Cohort Posted by Atazonomics on Wed, 15 May 2024 00:48:34 GMT View Forum Message <> Reply to Message

I working on research and I need to group children into month-year cohorts from the IR files of Uganda, Ivory Coast and Nigeria. In the survey rounds 6 or lower, I use the moth of birth and year of birth and use group (b1 b2)and for 7 or 8 wave, i used the following :

```
* Loop through each child's month and year of birth variables
foreach i of numlist 1/20 {
  * Check existence of the month variable
  capture confirm variable b1 `i'
  if _rc != 0 {
     display "Month variable b1_`i' not found. Skipping to next."
     continue
  }
  * Check existence of the year variable
  capture confirm variable b2 `i'
  if _rc != 0 {
     display "Year variable b2 `i' not found. Skipping to next."
     continue
  }
  * Only proceed if both variables are present and not missing
  if !missing(b1_`i', b2_`i') {
     * Convert month and year to strings with proper formatting
     local str_month_`i' = string(b1_`i', "%02.0f")
     local str year i' = string(b2 i')
     * Concatenate year and month into a cohort variable
     gen cohort_`i' = str_year_`i' + "-" + str_month_`i'
  } else {
     * Explicitly set cohort to missing if either month or year is missing
     gen cohort_`i' = "."
  }
}
```

Both methods did not work .

Please, i look forward to your help as this is holding me up

Thank you

Subject: Re: How to generate Month-Year birth Cohort Posted by Janet-DHS on Thu, 16 May 2024 13:43:43 GMT Following is a response from DHS staff member, Tom Pullum:

Because you want birth cohorts of children, rather than mothers, it will be easier to use the BR file. It has one record for each birth in the birth histories, whether or not the child survived, so b1 and b2 are always coded and you don't need to use "capture confirm". Single-year (calendar year) birth cohorts are given by b2.

Note that in many surveys conducted before 2000, if you are going back that far, years may be given with just the last two digits--for example, "92" instead of "1992".

Subject: Re: How to generate Month-Year birth Cohort Posted by Atazonomics on Thu, 16 May 2024 14:01:40 GMT View Forum Message <> Reply to Message

Thank you very much for the repply. I also need some information such as mother height, age, years of education; age and education head of household, wealth index from the IR file. By your answer, do you suggest I merged the BR with the IR? If so, what is the best way to merge 1:m using "BR" or m:1 using "IR"?

Do you also suggest I use that to calculate 'None of the basic vaccinations' and 'all of the basic vaccinations' if I want to construct variable for kids that received none of the eight basic "None of the basic vaccinations" and received "All basic vaccinations" : "bcg" "polio1" "polio2" "polio3" "measles" "dpt1" "dpt2" "dpt3"

If so, what would be the appropriate command ?

Subject: Re: How to generate Month-Year birth Cohort Posted by Janet-DHS on Tue, 11 Jun 2024 19:46:35 GMT View Forum Message <> Reply to Message

Following is a response from DHS staff member, Tom Pullum:

We apologize for the delay in this response. You may no longer have a question.

Most of the IR variables are copied onto the BR file. That is, most of the mother's characteristics are attached to the child's characteristics. Look for the variables you need in the BR file. If you still need to know how to merge additional IR variables into the BR please let us know.

If you are working with just children under 5, then you would use the KR file and what I said above about the BR file would apply to the KR file. The KR file is a subset of the BR file, for children born in the past 5 years.

Each child's immunization data is on the record in the KR file. You can look up the names of the variables and construct the indicators that appear in the final report. All of the recodes are on our GitHub site (https://github.com/DHSProgram/DHS-Indicators-Stata)