Subject: Mozambique: Standard DHS, 2022-23, KR Dataset Posted by Bright Richfield on Fri, 19 Jul 2024 12:04:19 GMT

View Forum Message <> Reply to Message

Dear DHS

Hope you are well.

I am having difficult time replicating nt_mdd, nt_mmf, nt_mad estimated in the https://dhsprogram.com/publications/publication-FR389-DHS-Fi nal-Reports.cfm This is Mozambique: Standard DHS, 2022-23, KR Dataset. More specifically, table 11.8 last three columns to the left of final column (Page 269). Picture is uploaded. The denominator seems right.

Can you confirm whether DHS is able to replicate those values? Mine is slightly off.

If so, I must something wrong. Here are the steps I took.

After executing https://github.com/DHSProgram/DHS-Indicators-Stata/blob/mast er/Chap11_NT/DHS8/!NTmain.do,

I ran https://github.com/DHSProgram/DHS-Indicators-Stata/blob/mast

er/Chap11_NT/DHS8/NT_IYCF.do.

The only change I made was to add replace nt_frtveg=1 if food1==1 in line 264 to add country specific food to the above do file.

This is based on line 213 which is based on variable v414wa. v414wa is amaranth leaves, cacana leaves, spinach, broccoli or moringa leaves

Even without this addition/change, nt_mdd, nt_mmf, nt_mad still does not match. I have attached the outputs.

Can you kindly advise? Thanks so much.

File Attachments

1)	Pic 1.JPG,	downloaded 1	L53 t	imes
2)	nt_mdd.JPG,	downloaded	174	times
3)	nt_mmf.JPG,	downloaded	161	times
4)	nt_mad.JPG,	downloaded	170	times

Subject: Re: Mozambique: Standard DHS, 2022-23, KR Dataset Posted by Janet-DHS on Tue, 23 Jul 2024 12:41:20 GMT View Forum Message <> Reply to Message

Following is a response from DHS staff member, Tom Pullum:

Sometimes there are very minor survey-specific modifications to the nutrition tables that can be hard to locate. I don't share this often, but here is the CSPro program for table 11.8 in the MZ 2022-23 survey: (see atachment). It is a text file that can be read with Notepad. I hope you can figure out the syntax and the variable names, just sufficiently to uncover whatever may be different from what you have been doing. Please let us know if you are able to do this or if you have other questions.

Subject: Re: Mozambique: Standard DHS, 2022-23, KR Dataset Posted by Bright Richfield on Tue, 30 Jul 2024 14:16:59 GMT View Forum Message <> Reply to Message

HI DHS

Thanks for taking the time to respond. Thanks for CSPro text file. Unfortunately, I was not able get what I needed, but I am making some progress to pull my own weight.

Ok. Back to Table 11.8 for Mozambique: Standard DHS, 2022-23, KR Dataset.

I was able to replicate nt_mdd (minimum dietary diversity) for (1) breast-fed, (2) non-breastfed and (3) both. Yay!

I was able to replicate nt_mmf (minimum meal frequency) for (1) breast-fed but not in the non-breastfed group.

https://dhsprogram.com/Data/Guide-to-DHS-Statistics/Minimum_

Dietary_Diversity_Minimum_Meal_Frequency_Minimum_Milk_Feedin

g_Frequency_and_Minimum.htm

According to the new guideline noted above, I think there might be something I am not figuring out for non-breastfeeding group. Below is the rule:

- 2) A minimum meal frequency during the previous day or night of:
- a) 2 or more solid, semi-solid or soft feeds for breastfeeding children age 6-8 months, or
- b) 3 or more solid, semi-solid or soft feeds for breastfeeding children age 9-23 months; or

c) 4 or more solid, semi-solid or soft food or milk feeds for non-breastfeeding children age 6-23 months where at least one of the feeds must be a solid, semi-solid, or soft feed.

I think it is c) that may be the problem. As for a) and b), I was able to replicate that because nt_mmf is correct in table 11.8.

The word of c) or for non-breastfeeding children is bit tricky to interpret and I tried many combination.

Below is the code from the DHS Github site. I am only pasting variables and lines that are necessary.

https://github.com/DHSProgram/DHS-Indicators-Stata/blob/mast er/Chap11_NT/DHS8/NT_IYCF.do

```
//Fed milk or milk products
gen totmilkf = 0
replace totmilkf=totmilkf + v469e if v469e<8
replace totmilkf=totmilkf + v469f if v469f<8
replace totmilkf=totmilkf + v469x if v469x<8
gen nt_milkfeeds= ( totmilkf>=2 | m4==95) if inrange(age,6,23)
replace nt_milkfeeds=. if m4==95
```

label values nt_milkfeeds yesno label var nt_milkfeeds "Non-breastfed child given at least two milk feeds in day/night before survey- youngest child age 6-23 months"

//Min meal frequency
gen feedings=totmilkf
replace feedings= feedings + m39 if m39>0 & m39<8
gen nt_mmf = (m4==95 & inrange(m39,2,7) & inrange(age,6,8)) | (m4==95 & inrange(m39,3,7) &
inrange(age,9,23)) | (m4!=95 & feedings>=4 & inrange(age,6,23))
replace nt_mmf=. if age<6
label values nt_mmf yesno
label var nt_mmf "Child with minimum meal frequency- youngest child 6-23 months"</pre>

Here may be where the problem is: gen nt_mmf = (m4==95 & inrange(m39,2,7) & inrange(age,6,8)) | (m4==95 & inrange(m39,3,7) & inrange(age,9,23)) | (m4!=95 & feedings>=4 & inrange(age,6,23))More specifically, the latter third: | (m4!=95 & feedings>=4 & inrange(age,6,23))

. tab nt_mmf [iw=wt] if m4!=95

_	•	•	Percent	Cum.	
0 1	493. 118.78	75178 828269		80.61 100.00	
Total 612.534607 100.00					
. tab nt_mmf [iw=wt]					
_	•	•	Percent	Cum.	
0 1	1,951 725.3	.5073 93534	72.90 27.10	72.90 100.00	
	•	6.9009	100.00		

The nt_mmf overestimate by more than 2.1% for non-breastfed group and about 0.5% for overall.

I tried below to account for where at least one of the feeds must be a solid, semi-solid, or soft feed for non-breastfed group.

gen nt_mmf1 = (m4==95 & inrange(m39,2,7) & inrange(age,6,8)) | (m4==95 & inrange(m39,3,7) & inrange(age,9,23)) | (m4!=95 & feedings>=4 & inrange(age,6,23) & inrange(m39,1,7)) I made the changes on my own based on recommendation below which is also from DHS website.

2) A minimum meal frequency:

- a) Defined for breastfed children as receiving solid or semi-solid foods
- b) at least twice a day for infants 6-8 months (m4 = 95 & b19 in 6:8 & m39 in 2:7) or
- c) at least three times a day for children 9-23 months (m4 = 95 & b19 in 9:23 & m39 in 3:7)
- d) Defined for non-breastfed children age 6-23 months as receiving solid, semi-solid, or soft

1:7) plus v469f (if in 1:7) plus v469x (if in 1:7 and v413a = 1) >= 2) plus solid feeds (m39 if in 1:7) >= 4) where at least one of the feeds must be a solid, semi-solid, or soft food (m39 in 1:7)

. tab nt_mmf1 [iw=wt] if m4!=95

nt_mmf1	•	Percent	
	4.561481	80.74	80.74
0 494	7.973126	19.26	100.00

Total | 612.534607 100.00

. tab nt_mmf1 [iw=wt]

nt_mmf1	•		Cum.
0 1,952.31705 1 724.583833		72.93 27.07	72.93 100.00
Total 2,6		100.00	

The % is slightly better than before.

So here is the request. Can you confirm below? More specifically, just the part where it begins from m4!=95 for non-breast fed group.

gen nt_mmf = (m4==95 & inrange(m39,2,7) & inrange(age,6,8)) | (m4==95 & inrange(m39,3,7) & inrange(age,9,23)) | (m4!=95 & feedings>=4 & inrange(age,6,23))

I think the wording of the new guideline may not have caught on with the community. Thanks so much.

Subject: Re: Mozambique: Standard DHS, 2022-23, KR Dataset Posted by Janet-DHS on Wed, 31 Jul 2024 15:49:15 GMT View Forum Message <> Reply to Message

Following is a response from DHS staff member, Tom Pullum:

I admire your attention to detail. You have obviously put a great deal of effort into understanding the indicator and the coding. I too am very detail-oriented. It can be very frustrating when an indicator is defined with multiple components that are essentially arbitrary. I have participated in many meetings where complex definitions of indicators are developed, and will just say that the people who come up with these complex definitions are NOT the people who have to write the computer code!

I believe you are questioning whether component c of the indicator, that is,

c) 4 or more solid, semi-solid or soft food or milk feeds for non-breastfeeding children age 6-23 months where at least one of the feeds must be a solid, semi-solid, or soft feed.

is correctly captured by the last part (in bold) of the "gen" command below:

gen nt_mmf = (m4==95 & inrange(m39,2,7) & inrange(age,6,8)) | (m4==95 & inrange(m39,3,7) & inrange(age,9,23)) | (m4!=95 & feedings>=4 & inrange(age,6,23))

My response would be that it is not correct, because the condition "at least one of the feeds must be a solid, semi-solid, or soft feed" is not included. You say that this condition would be represented by "(m39 in 1:7)" and I agree; "& inrange(m39,1,7)" should be included in the bolded section above. I will notify others on the DHS analysis team that the GitHub programs for table 11.8 needs to be corrected to include that condition.

In the CSPro program for table 11.8, which you have, there is the following around line 60: "if minfeedn then nbrfmin = 3;" . minfeed is defined earlier in the CSPro code. It is 1 if m39 is 1 to 7, and 0 otherwise.

To summarize, as I see it, Table 11.8 was correctly constructed; the CSPro code matches with the definition of the indicator. The only error is in the GitHub code, which does not include the m39 condition in the bolded segment. I will try to have that inconsistency fixed. Thank you for uncovering it.

Subject: Re: Mozambique: Standard DHS, 2022-23, KR Dataset Posted by Simon on Mon, 14 Oct 2024 10:01:50 GMT View Forum Message <> Reply to Message

Hi Bright, I'm in the same boat that you apparently were - I cannot replicate the Minimum Meal Diversity for Mozambique 2022...

I get 14.2% instead of 14.4% for both breastfeeding and nonbreastfeeding population of 2677...

I noticed that you say: I was able to replicate nt_mdd (minimum dietary diversity) for (1) breast-fed, (2) non-breastfed and (3) both. Yay!

Would mind sharing how you managed it? I'm completely flummoxed and wondering about v141d (insects) and v414wa (leaves etc)... but I simply do not match and it has become pure trial and error!

Page 6 of 6 ---- Generated from The DHS Program User Forum