
Subject: Children nutritional status

Posted by [Benn88](#) on Tue, 30 Jul 2024 16:41:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello everyone,

My name is Benn,

As an academic researcher investigating the determinants of stunting, wasting, and underweight among children under five in Haiti, I have a few clarifying questions regarding the analysis. I am utilizing the Haiti Demographic and Health Survey data, specifically the KR file.

1. When analyzing maternal body mass index as a potential determinant, should I also exclude pregnant women and women who gave birth in the preceding 2 months? I am unsure if the BMI values reported in the final DHS report have already been adjusted for these considerations.
2. In the logistic regression modeling, is it appropriate to include both birth order and birth interval as independent variables? When computing birth interval, the common practice is to exclude the first-born children. Would there be any issues with including both of these variables in the same model?

I appreciate your guidance on these methodological aspects to ensure the robustness of my analysis and the validity of the findings. Any clarification you can provide would be greatly helpful as I work on my first academic paper using this dataset.

Thank you very much

Subject: Re: Children nutritional status

Posted by [Janet-DHS](#) on Wed, 31 Jul 2024 15:49:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS staff member, Tom Pullum:

You do need to omit BMI for women who are pregnant or gave birth in the past two months. There is nothing in the coding of the woman's BMI that adjust for that. Mother's BMI would be coded NA for mothers who are pregnant or gave birth in the past two months. Details are given in the Guide to DHS Statistics.

You can include both birth order and the preceding birth interval--those variables are not collinear. However, as you say, birth interval is Not Applicable for bord=1, so first births will be dropped.

With these two types of omissions you will lose a substantial fraction of the cases. However, I don't think there is a good way to avoid that. I would not recommend imputing the NA values. In the part of your analysis that does not include mother's BMI and/or preceding birth interval, you will not lose cases.

Subject: Re: Children nutritional status
Posted by [Benn88](#) on Thu, 08 Aug 2024 17:28:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you very much.
Benn

Subject: Re: Children nutritional status
Posted by [Aurawyer](#) on Tue, 13 Aug 2024 16:48:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

Both the order of birth and the interval between births can be included since they are not collinear variables. Nevertheless, the first births will be excluded because, as you mentioned, the birth interval is not applicable for $bord=1$.
geometry dash breeze
