

---

Subject: Merging Birth's / Children's with Household Member Recode

Posted by [karlo](#) on Wed, 25 Feb 2015 07:12:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello!

I'm having a little difficulty merging the Birth's and Children's Recode with the Household Member Recode (I need both individual and household variables). I can easily merge the individual with the household member recode but is having a hard time for births/children.

I am interested particularly in using individual and household data for ANC and Delivery location (Births + Household member recode) and immunization history of children aged 1-2 years from the last interview (Children + household member recode).

I'm using the variables v001 v002 v003 (hv001 hv002 hvidx) (as with the individual -> household recode) but could not merge the data sets =/ I used <http://dhsprogram.com/data/Merging-Datasets.cfm> as a reference but STATA is giving me results saying that the entries do not match.

Thanks for your help!

Karlo

---

---

Subject: Re: Merging Birth's / Children's with Household Member Recode

Posted by [Trevor-DHS](#) on Wed, 04 Mar 2015 14:28:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Please post your code for matching and we can then review it.

---

---

Subject: Re: Merging Birth's / Children's with Household Member Recode

Posted by [karlo](#) on Wed, 02 Dec 2015 13:12:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello!

Here's the code that I used:

```
merge 1:m v001 v002 using "PHPR62FL.DTA"
```

Is this correct?

Before the merging, I sorted the v001 and v002 as I usually do.

Sorry for the late reply to this message. I still need to merge the files though =(

---

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [Trevor-DHS](#) on Thu, 03 Dec 2015 15:56:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

You need to include the line number of the person in the merge. For the PR file that is in hvidx and for the BR or KR file it is in b16 (line number of child in household). Note that there are some children in the BR and KR files for whom b16 is 0, 99, or missing (.), because the child in the BR file either does not live in the household or is dead or had missing data - it is best to drop these before merging. Then perform a 1:1 merge to merge the data.

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [karlo](#) on Fri, 04 Dec 2015 06:24:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hey trevor!

Thanks a lot for the support. Finally able to merge the file.

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [marron](#) on Wed, 09 Mar 2016 21:29:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi, I have a follow-up question with regards to your suggestion to use the b16 variable in the birth recode file. I am unable to locate the b16 variable in the DHS surveys from Phase III and earlier, at least for countries in southern Africa. Does this mean that it is impossible to merge the birth recode file with the household file for these earlier surveys?

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [Trevor-DHS](#) on Thu, 10 Mar 2016 12:42:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Yes, it does mean that you can't link the birth history with the household roster. We added b16 into the surveys specifically to allow this.

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [sammyladele](#) on Mon, 10 Oct 2016 14:50:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Trevor, I also have a question. What if I'm merging CR with KR does it follow the same procedure using b16?

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [Trevor-DHS](#) on Mon, 10 Oct 2016 15:13:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The CR file is the couples recode file. The KR is the children under five recode file (sometimes known as the kids recode file). B16 is the children's line number from the household schedule and is needed when merging the children's data from the KR file with their information from the household schedule (PR file). The children's line number is not needed for merging with the CR file - you would merge based on the cluster (v001 <-> mv001), household (v002 <-> mv002), and the husband's line number from the women's recode (v034) with the respondent's line number from the men's data (v003).

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [sammyladele](#) on Mon, 10 Oct 2016 15:18:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Trevor, I will try it now.

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [anikhpg42@gmail.com](#) on Mon, 04 Jun 2018 07:52:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Trevor,  
I just want to know that, what does the variable 'Line number of the household member' (hvidx) mean minutely?  
That is, if hvidx = 1, then what does it indicate?

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [Joyeuse](#) on Wed, 13 Mar 2024 10:32:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Trevor,

I have a question regarding merging PR and KR recodes. I am working with the Rwanda DHS 2019/20 dataset. My focus is on two aspects: household living arrangements (available in the PR recode) and child health indicators (available in the KR recode).

For the living arrangements, I utilized the STATA codes provided by DHS, which are accessible in the DHS indicators. I created a sub-sample based on these codes and subsequently merged it with the original PR recode.

Following this, I merged the newly created dataset with the KR recode. However, at the end of the merging process, I noticed that I am losing one category.

Could you please advise on how to resolve this issue?

Thank you

```
. tab cores_type
```

cores_type	Freq.	Percent	Cum.
-----+-----			
Living with both parents	16,982	63.60	63.60
With mother, not father	6,046	22.64	86.24
With father, not mother	617	2.31	88.55
Living with neither parent	3,056	11.45	100.00
-----+-----			
Total	26,701	100.00	

and I have this after final merging

```
tab cores_type
```

cores_type	Freq.	Percent	Cum.
-----+-----			
Living with both parents	5,620	75.05	75.05
With mother, not father	1,866	24.92	99.97
Living with neither parent	2	0.03	100.00
-----+-----			
Total	7,488	100.00	

these are the codes I used

```
***preparation of household member recod (PR)***
```

```
use "C:\Users\pc\Desktop\Rwanda_DHS_Data\RWPR81DT_Household members  
recod\RWPR81FL.DTA",clear
```

```
rename hvidx c_line
```

```
rename hv001 cluster_line
```

```
rename hv002 hh_line
```

```
order c_line cluster_line hh_line
```

```
save "C:\Users\pc\Desktop\Rwanda_DHS_Data\PR.dta", replace
```

```
***preparation of children recod (KR)***
```

```
use "C:\Users\pc\Desktop\Rwanda_DHS_Data\RWKR81DT_Children recod\RWKR81FL.DTA",  
clear
```

```
tab b16
```

```
drop if b16==.  
drop if b16==0
```

```
rename b16 c_line  
rename v001 cluster_line  
rename v002 hh_line  
order c_line cluster_line hh_line  
save "C:\Users\pc\Desktop\Rwanda_DHS_Data\KR.dta", replace
```

\*\*\*\*Creation of a sub\_sample of variables from PR dataset to create \*\* Living arrangements \*\*\*\*

```
* Preparing files to produce the indicators, this required several merges  
use "C:\Users\pc\Desktop\Rwanda_DHS_Data\RWPR81DT_Household members  
recode\RWPR81FL.DTA", replace  
keep hv001 hv002 hvidx hv005 hv009 hv024 hv025 hv101-hv105 hv111-hv114 hv270 hc60  
save PR_temp.dta, replace
```

```
* Prepare a file of potential mothers  
use PR_temp.dta, clear  
drop if hv104==1  
drop if hv105<15  
keep hv001 hv002 hvidx hv102  
gen in_mothers=1  
rename hv102 hv102_mo  
rename hvidx hv112  
sort hv001 hv002 hv112  
save PR_temp_mothers.dta, replace
```

```
* Prepare a file of potential fathers  
use PR_temp.dta, clear  
drop if hv104==2  
drop if hv105<15  
keep hv001 hv002 hvidx hv102  
gen in_fathers=1  
rename hv102 hv102_fa  
rename hvidx hv114  
sort hv001 hv002 hv114  
save PR_temp_fathers.dta, replace
```

```
* Prepare file of children for merges  
use PR_temp.dta, clear  
drop if hv102==0  
drop if hv105>17  
gen in_children=1
```

```
* Merge children with potential mothers  
sort hv001 hv002 hv112  
merge hv001 hv002 hv112 using PR_temp_mothers.dta
```

```
rename _merge _merge_child_mother
```

```
* Merge children with potential fathers
```

```
sort hv001 hv002 hv114
```

```
merge hv001 hv002 hv114 using PR_temp_fathers.dta
```

```
rename _merge _merge_child_father
```

```
gen hv112r=hv112
```

```
gen hv114r=hv114
```

```
* Code 99 of the mother or father is not de jure
```

```
replace hv112r=99 if hv112>0 & hv102_mo==0
```

```
replace hv114r=99 if hv114>0 & hv102_fa==0
```

```
keep if in_children==1
```

```
drop in_*_merge*
```

```
label define HV112R 0 "Mother not in household" 99 "In hh but not de jure"
```

```
label define HV114R 0 "Father not in household" 99 "In hh but not de jure"
```

```
label values hv112r HV112R
```

```
label values hv114r HV114R
```

```
tab1 hv112r hv114r
```

```
gen cores_type=.
```

```
replace cores_type=1 if (hv112r>0 & hv112r<99) & (hv114r>0 & hv114r<99)
```

```
replace cores_type=2 if (hv112r>0 & hv112r<99) & (hv114r==0 | hv114r==99)
```

```
replace cores_type=3 if (hv112r==0 | hv112r==99) & (hv114r>0 & hv114r<99)
```

```
replace cores_type=4 if (hv112r==0 | hv112r==99) & (hv114r==0 | hv114r==99)
```

```
label define cores_type 1 "Living with both parents" 2 "With mother, not father" 3 "With father, not  
mother" 4 "Living with neither parent"
```

```
label values cores_type cores_type
```

```
tab cores_type
```

```
***preparation for merging with PR recode**
```

```
rename hvidx c_line
```

```
rename hv001 cluster_line
```

```
rename hv002 hh_line
```

```
order c_line cluster_line hh_line
```

```
***FIRST MERGE: LIVING ARRANGEMENT + PR RECODE****
```

```
merge 1:1 c_line cluster_line hh_line using "C:\Users\pc\Desktop\Rwanda_DHS_Data\PR.dta",  
keep(match)
```

```
drop _merge
```

```
tab cores_type
```

```
save "C:\Users\pc\Desktop\Rwanda_DHS_Data\RWPR81DT_Household members
```

```
recode\PR_living arrangement.dta", replace
```

```
***SECOND MERGE: ABOVE DATASET + CHILDREN RECODE***
```

```
merge 1:1 c_line cluster_line hh_line using "C:\Users\pc\Desktop\Rwanda_DHS_Data\KR.dta",
keep(match)
drop _merge
```

```
save "C:\Users\pc\Desktop\Rwanda_DHS_Data\RWPR81DT_Household members
recode\Joy_Final dataset_DHS_Project.dta", replace
```

---

Subject: Re: Merging Birth's / Children's with Household Member Recode  
Posted by [Bridgette-DHS](#) on Mon, 18 Mar 2024 11:22:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Following is a response from Senior DHS staff member, Tom Pullum:

When you do this kind of merge, a variable called "\_merge" is constructed with 3 categories. The category you are most interested in is \_merge=3, which identifies children that are in both files. However, there are two other categories, "\_merge=1" and "\_merge=2". The codes 1 and 2 depend on which file is the "master" file, the one you start with, and which file is the "using" file, the one named after the word "using" in the merge command.

There are many cases in the PR file that are not in the KR file. These are household members above the age of 5, as well as children under 5 who were present in the household but whose mothers were not present, so they do not appear in a birth history. You almost certainly want to drop these cases.

There are relatively few cases in the KR file that are not in the PR file. These are children with b16=., who have died, and children with b16=0, who are living but are living elsewhere. In order to do the merge, you probably removed them already.

If you just enter "keep if \_merge==3" and "drop \_merge" you will then have the cases you want. I hope this is what you were asking about.