

---

Subject: Rural wealth index construction

Posted by [mmr-UMICH](#) on Tue, 23 Feb 2016 19:34:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi DHS Forum

I wanted to calculate the rural wealth index for Bangladesh DHS 2011 survey. Downloaded an SPSS syntax file from DHS website which used QH series variables that is, SPSS code uses DHS raw data. We have access to only Recode data, which has HV series variables.

So I was trying to convert existing SPSS code for Recode data, but I could not figure out the corresponding HV variables for the following QH variables:

-----  
qh110A qh110B qh110C qh110D qh110E qh110F qh110G qh110H qh110I qh110J qh110K  
qh110L  
qh118A qh118B qh118C qh118D qh121 qh122a qh122b qh122c  
qh122\_1 to qh122\_5 qh123 and DOMESTIC.

Thank you so much.

The portion of the original code is given below:

```
*{Reset missing values to "does not have", change 2 code to 0}.
```

```
if (missing(qh110a) | qh110a<>1) qh110a=0.
```

```
if (missing(qh110b) | qh110b<>1) qh110b=0.
```

```
if (missing(qh110c) | qh110c<>1) qh110c=0.
```

```
if (missing(qh110d) | qh110d<>1) qh110d=0.
```

```
if (missing(qh110e) | qh110e<>1) qh110e=0.
```

```
if (missing(qh110f) | qh110f<>1) qh110f=0.
```

```
if (missing(qh110g) | qh110g<>1) qh110g=0.
```

```
if (missing(qh110h) | qh110h<>1) qh110h=0.
```

```
if (missing(qh110i) | qh110i<>1) qh110i=0.
```

```
if (missing(qh110j) | qh110j<>1) qh110j=0.
```

```
if (missing(qh110k) | qh110k<>1) qh110k=0.
```

```
if (missing(qh110l) | qh110l<>1) qh110l=0.
```

```
if (missing(qh118a) | qh118a<>1) qh118a=0.
```

```
if (missing(qh118b) | qh118b<>1) qh118b=0.
```

```
if (missing(qh118c) | qh118c<>1) qh118c=0.
```

```
if (missing(qh118d) | qh118d<>1) qh118d=0.
```

```
if (not(missing(qh122c)) & qh122c < 99.98) landarea=qh122c.
```

```
if (qh122c=99.95) landarea=95.
```

```
if (missing(qh122b) | qh122b<>1) landarea=0.
```

```
frequencies landarea.
```

```
if (missing(qh121) | qh121 <>1) qh121=0.
```

```
if (missing(qh122_1) | qh122_1 <>1) qh122_1=0.
```

```
if (missing(qh122_2) | qh122_2 <>1) qh122_2=0.
```

```
*if (missing(qh122_3) | qh122_3 <>1) qh122_3=0.
```

```
if (missing(qh122_4) | qh122_4 <>1) qh122_4=0.
```

```
if (missing(qh122_5) | qh122_5 <>1) qh122_5=0.
```

if (missing(qh122a) | qh122a<>1) qh122a=0.  
missing values qh122\_1 to qh122\_5 (98,99).  
if (missing(qh123) | qh123<>1) qh123=0.

---

---

Subject: Re: Rural wealth index construction  
Posted by [Liz-DHS](#) on Thu, 25 Feb 2016 23:32:23 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear User,  
Does the attachment help?  
These are the CWI coefficients for Bangladesh. If you still need assistance, please let us know.  
Thanks!

#### File Attachments

1) [Bangladesh\\_CWI\\_coefficients.xlsx](#), downloaded 568 times

---

---

Subject: Re: Rural wealth index construction  
Posted by [mmr-UMICH](#) on Tue, 01 Mar 2016 19:22:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thank you, Liz.

---

---

Subject: Re: Rural wealth index construction  
Posted by [r01efa16](#) on Wed, 28 Dec 2016 21:47:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Liz,

I am trying to construct Wealth Index for Egypt using STATA.  
I referred to the manuals (attached here) in regard of how to calculate wealth index, however all using SPSS syntax, So I am a bit struggling

Have you done the coding using STATA?  
Could you tell me how to score the PCA components based on the regression method?

What weight should do with the index? How can I use weight after constructing the index and divide the quintiles?

Your reply is highly appreciated

Thanks in advance

## File Attachments

---

- 1) [Wealth index 1995- code sps.pdf](#), downloaded 460 times
  - 2) [Steps\\_to\\_constructing\\_the\\_new\\_DHS\\_Wealth\\_Index.pdf](#), downloaded 988 times
-