Subject: Rural wealth index construction Posted by mmr-UMICH on Tue, 23 Feb 2016 19:34:28 GMT

View Forum Message <> Reply to Message

Hi DHS Forum

I wanted to calculate the rural wealth index for Bangladesh DHS 2011 survey. Downloaded an SPSS syntax file from DHS website which used QH series variables that is, SPSS code uses DHS raw data. We have access to only Recode data, which has HV series variables.

So I was trying to convert existing SPSS code for Recode data, but I could not figure out the corresponding HV variables for the following QH variables:

qh110A qh110B qh110C qh110D qh110E qh110F qh110G qh110H qh110I qh110J qh110K qh110L

qh118A qh118B qh118C qh118D qh121 qh122a qh122b qh122c qh122_1 to qh122_5 qh123 and DOMESTIC.

Thank you so much.

```
The portion of the original code is given below:
*{Reset missing values to "does not have", change 2 code to 0}.
if (missing(qh110a) | qh110a<>1) qh110a=0.
if (missing(qh110b) | qh110b<>1) qh110b=0.
if (missing(qh110c) | qh110c<>1) qh110c=0.
if (missing(qh110d) | qh110d<>1) qh110d=0.
if (missing(qh110e) | qh110e<>1) qh110e=0.
if (missing(qh110f) | qh110f<>1) qh110f=0.
if (missing(gh110g) | gh110g<>1) gh110g=0.
if (missing(qh110h) | qh110h<>1) qh110h=0.
if (missing(qh110i) | qh110i<>1) qh110i=0.
if (missing(qh110j) | qh110j <> 1) qh110j = 0.
if (missing(qh110k) | qh110k <> 1) qh110k = 0.
if (missing(qh110l) | qh110l<>1) qh110l=0.
if (missing(qh118a) | qh118a<>1) qh118a=0.
if (missing(gh118b) | gh118b<>1) gh118b=0.
if (missing(qh118c) | qh118c<>1) qh118c=0.
if (missing(gh118d) | gh118d<>1) gh118d=0.
if (not(missing(gh122c)) & gh122c < 99.98) landarea=gh122c.
if (gh122c=99.95) landarea=95.
if (missing(gh122b) | gh122b<>1) landarea=0.
frequencies landarea.
if (missing(qh121) | qh121 <>1) qh121=0.
if (missing(qh122_1) | qh121 <>1) qh122_1=0.
if (missing(qh122_2) | qh121 <>1) qh122_2=0.
*if (missing(qh122_3) | qh121 <>1) qh122_3=0.
if (missing(gh122 \ 4) | gh121 <>1) gh122 \ 4=0.
```

if (missing(gh122 5) | gh121 <>1) gh122 5=0.

if (missing(qh122a) | qh122a<>1) qh122a=0. missing values qh122_1 to qh122_5 (98,99). if (missing(qh123) | qh123<>1) qh123=0.

Subject: Re: Rural wealth index construction

Posted by Liz-DHS on Thu, 25 Feb 2016 23:32:23 GMT

View Forum Message <> Reply to Message

Dear User.

Does the attachment help?

These are the CWI coefficients for Bangladesh. If you still need assistance, please let us know.

Thanks!

File Attachments

1) Bangladesh_CWI_coefficients.xlsx, downloaded 640 times

Subject: Re: Rural wealth index construction

Posted by mmr-UMICH on Tue, 01 Mar 2016 19:22:09 GMT

View Forum Message <> Reply to Message

Thank you, Liz.

Subject: Re: Rural wealth index construction

Posted by r01efa16 on Wed, 28 Dec 2016 21:47:43 GMT

View Forum Message <> Reply to Message

Hello Liz.

I am trying to construct Wealth Index for Egypt using STATA.

I refered to the manuals (attached here) in regard of how to calculate wealth index, however all using SPSS syntax, So I am a bit struggling

Have you done the coding using STATA?

Could you tell me how to score the PCA components based on the regression method?

What weight should do with the index? How can I use weight after constructing the index and divide the quintiles?

Your reply is highly appreciated

Thanks in advance

File Attachments

- 1) Wealth index 1995- code sps.pdf, downloaded 512 times
- 2) Steps_to_constructing_the_new_DHS_Wealth_Index.pdf, downloaded 1068 times