
Subject: Survey Weights for 2010 Kenya SPA Health Worker Interview
Posted by cudjoe@gwmail.gwu.edu on Tue, 08 Mar 2016 16:16:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I am hoping to do an analysis of the 2010 Kenya SPA - Health Worker Interview only (not the complete dataset). I will be looking only at providers in Nairobi. Do these data need to be weighted? If so, which variable do I use for weighting and what are the STATA commands to do this?

Thanks,

Subject: Re: Survey Weights for 2010 Kenya SPA Health Worker Interview
Posted by [Bridgette-DHS](#) on Thu, 10 Mar 2016 19:17:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Stata Specialist, Rebecca Winter:

Thanks for your question! Yes, the 2010 Kenya SPA is a sample of all health facilities in Kenya. Likewise, it is a sample of health providers. In order to tabulate results that are representative of all health facilities (or in this case, all health providers) in the country, you will need to use the data file's survey weight. This weight will adjust for any over- or under- sampling in certain areas, and will also adjust for any nonresponse.

If you are using the recoded provider file, KESR10PV.DTA, the survey weight variable is called u005. To prepare this weight variable for use, you need to divide the variable by 1,000,000, as shown below.

```
generate wgt = u005/1000000
```

Once the weight is prepared, you just need to tell STATA to use the weight when running your tabulations. For example, to tabulate the male/female distribution of health providers in Nairobi, you could use the code below:

```
tabulate u030 if u001==1 [iw=wgt]
```

We hope this helps!
