
Subject: treatment seeking for ARI: Bangladesh DHS 2014

Posted by [zobidaislam](#) on Fri, 01 Apr 2016 02:29:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I tried to estimate the proportion of children with ARI that sought treatment from a health facility or provider (according to the table 10.8, page-147 in Bangladesh DHS 2014) using the following stata code, but my estimate is different from the table. My estimate is 44.47, but the table states 42.0. Could you kindly tell me whats wrong with my code?

** I used kids record (BDKR4JFL)

```
* generate sampling weight
g wgt=v005/1000000
```

```
*symptoms of ARI (%)
gen ari=0 if b5==1 // b5: child is alive
replace ari=1 if b5==1 & h31b==1 & (h31c==1 | h31c==3)
tab ari [iw=wgt]
```

```
*suspected ARI taken to health facility
gen treat= 0 if ari==1
foreach x in a b c d e f i j l p s t u v w z {
replace treat=1 if ari==1 & h32`x'==1
}
tab treat if b5==1 [iw=wgt]
```

Thank you.
Zobi

Subject: Re: treatment seeking for ARI: Bangladesh DHS 2014

Posted by [Bridgette-DHS](#) on Mon, 11 Apr 2016 13:43:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Stata Specialist, Shireen Assaf:

Your code is correct except for the inclusion of some of the treatment variables particularly h32z.

If you use the following code below you will match the report:

```
*****
```

```
use "BDKR70FL.DTA" , clear
```

```
* generate sampling weight
g wgt=v005/1000000
```

```
*symptoms of ARI (%)
gen ari=0 if b5==1 // b5: child is alive
replace ari=1 if b5==1 & h31b==1 & (h31c==1 | h31c==3)
tab ari [iw=wgt]
```

```
* treatment for ARI
gen treat= 0 if ari==1
foreach x in a b c d e f g h i j l n s t u v w {
replace treat=1 if ari==1 & h32`x'==1
}
```

```
ta treat [iw=wgt]
```

As described in the DHS recode manual, h32z is described as:
"Whether the child was taken to a medical facility for treatment of the fever and/or cough. This usually includes being taken to all Public Sector facilities and all Medical Private Sector facilities except for Pharmacy. This variable is a summary of these preceding variables as is used in the final reports."

<http://www.dhsprogram.com/publications/publication-dhsg4-dhs-questionnaires-and-manuals.cfm>

So h32z should not be included when you generate the treat variable.