Subject: STATA recode for assistance during delivery SLDHS Posted by Mlue on Fri, 10 Feb 2017 17:36:20 GMT

View Forum Message <> Reply to Message

Hi there, I'm using the Sierra Leone DHS 2013 data. I have been trying to recode a variable that will give me the same results as in Table 9.6 and Figure 9.1 of SLDHS 2013.

Could someone please let me know how this variable (Assistance during delivery / Skilled birth attendant) is derived from DHS data using stata.

Subject: Re: STATA recode for assistance during delivery SLDHS Posted by Liz-DHS on Fri, 10 Feb 2017 18:01:04 GMT

View Forum Message <> Reply to Message

Dear User.

The delivery care recode variables are included in M3A-N. Please refer to The Standard Recode Manual on our website http:// dhsprogram.com/publications/publication-DHSG4-DHS-Questionna ires-and-Manuals.cfm. There is also a portion on Delivery Care in The Guide to DHS Statistics http:// www.dhsprogram.com/publications/publication-dhsg1-dhs-questi onnaires-and-manuals.cfm. For assistance with Stata code please refer to http://www.cpc.unc.edu/research/tools/data_analysis/statatutorial Thank you!

Subject: Re: STATA recode for assistance during delivery SLDHS Posted by Mlue on Sat, 11 Feb 2017 07:27:46 GMT View Forum Message <> Reply to Message

Does anyone have an example of a STATA dofile for this?

The variables come in the form:

1. Assistance: doctor = m3a_1, m2a_2, etc... and nurses, mch aide, come in the same manner

Subject: Re: STATA recode for assistance during delivery SLDHS Posted by Mlue on Fri, 17 Feb 2017 07:56:45 GMT

View Forum Message <> Reply to Message

HI Liz.

I figured it out... I was using the wrong dataset and wrong Stata commands/syntaxes.

** DEMOGRAPHIC AND HEALTH SURVEY DATA A stata code (do file) to compute skilled birth attendant from DHS data *** YEAR = 2013 ** SKILLED BIRTH ATTENDANTS (SBA) **************************** ** WEIGHT VARIABLE gen weight = v005/1000000** SURVEY SET gen psu = v021gen strata = v022 svyset psu [pw = weight], strata(strata) vce(linearized) keep if v208 !=0 & v208 !=. ** DROP IF NOT WITHIN SAMPLE qui regr m3a m3b m3c if v208 >0 & v208 !=. [pw=weight] drop if e(sample)!=1 ******** // RENAME rename v190 wealth rename v025 residence rename v024 region // GENERATING SKILLED BIRTH ATTENDANT - VARIABLE gen skilled_birth = 0 label define skilled birth 0"No" 1"Yes" label var skilled_birth "Birth delivered by skilled birth attendant"

label val skilled_birth skilled_birth

** SKILLED BIRTH ATTENDANTS foreach xvar of varlist m3a m3b m3c { replace skilled_birth=1 if `xvar'==1 } // CHECK - [Yes = Percentage delivered by a skilled provider] svy: tab region skilled_birth, percent format(%4.1f) row svy: tab region skilled_birth, count format(%4.0f) miss *=======*