Subject: Seeking treatment for ARI at Health Facility- NDHS 2011 and 2016 Posted by graman1 on Thu, 17 May 2018 19:17:07 GMT

View Forum Message <> Reply to Message

Hi,

I am trying to replicate the results for the Indicator "Children with ARI taken to a health facility" for Nepal DHS 2011 and 2016. I am getting the correct statistic for 2011 but a vastly different number for 2016. My code is posted below:

```
*symptoms of ari (%)
gen ari=0 if b5==1 & birth5== 1 // child is alive and born in the 5 years preceding the survey
replace ari=1 if b5==1 & h31b==1 & (h31c==1 | h31c==3)

gen ch_pneum_treatment= 0 if ari==1 & (b5==1 & birth5== 1)
foreach x in a b c d e f g h i j l m n o p q r t {
replace ch_pneum_treatment=1 if ari==1 & h32`x'==1
}
```

For 2016, I am getting a mean of 56.1 (which does not match the result in the STAT compiler (84.9). Kindly let me know if I am have not got the definition of health facility correct or if I am making another mistake.

Thanks

Subject: Re: Seeking treatment for ARI at Health Facility- NDHS 2011 and 2016 Posted by HanR on Wed, 29 Aug 2018 08:33:38 GMT

View Forum Message <> Reply to Message

Hello,

Please try the following categories:

h_fac = (1 in H32A,H32B,H32C,H32D,H32E,H32F,H32J,H32K,H32L,H32M,H32S,H32T, H32U,H32V,H32X);

and see what you find.

Good luck.