
Subject: Births protection against neonatal tetanus
Posted by [kclakhara](#) on Fri, 25 May 2018 09:01:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Sir/Madam,

I am working on the antenatal care indicator "Percentage whose last birth was protected against neonatal tetanus" provided in India NFHS-4, 2015-16 report (Table 8.7 and 8.11, page 217 and 223). I have got the percentage of women who received two or more TT injections using variable M1 but could not get the "Last birth was protected against neonatal tetanus".

I want to know which variable has been used for the computation of indicator "Last birth was protected against neonatal tetanus" with the variable name and condition used in NFHS-4 India report.

Regards,

Kailash

Subject: Re: Births protection against neonatal tetanus
Posted by [Bridgette-DHS](#) on Fri, 08 Jun 2018 16:47:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Senior Research Associate, Lindsay Mallick:

Please see attached and below for the Stata program for coding tetanus protection.

*Generate weight

```
gen wt=v005/1000000
```

*generate age in months variable

```
gen agemo = v008 - b3
```

```
label variable agemo "Age of child in months or months since birth"
```

****Tetanus****

*two injections alst pregnancy

```
gen tet2lastp = 0
```

```
replace tet2lastp =1 if m1 >1 & m1<8
```

```
label var tet2lastp "Had 2 or more tetanus shots during last pregnancy"
```

/*New variable includes mothers with two injections during the pregnancy of their last birth or two or

more injections (the last within 3 years of the last live birth), three or more injections (the last within 5 years of the last birth), four or more injections (the last within 10 years of the last live birth), or five or more injections at any time prior to the last birth.*/*

*variables used: m1 is total tet injections during the most recent pregnancy

*m1a is total tet injections before the pregnancy
*m1e is the data in CMCs of last injection before pregnancy, may be m1d like in nepal

**Full tetanus

*first calculate total tetanus shots

```
g totet=0  
g ttprotect = 0
```

```
replace totet=m1 if m1>0 & m1<8  
replace totet= m1a + totet if (m1a > 0 & m1a < 8)  
label val totet yesno
```

*now generating variable for date of last injection - will be 0 for women with at least 1 injection at last pregnancy

*use b19, new CDC age var

```
g lastinj= 9999
```

```
replace lastinj = 0 if m1>0 & m1 <8
```

```
gen int age = (agemo)/12
```

```
replace lastinj = m1d - age if m1d <20 & (m1==0|(m1>7 & m1<9996)) // years ago of last shot - (age at of child), yields some negatives
```

*now generate summary variable for protection against neonatal tetanus

```
replace ttprotect = 1 if tet2lastp ==1
```

```
replace ttprotect=1 if totet>=2 & lastinj<=2 //at least 2 shots in last 3 years
```

```
replace ttprotect=1 if totet>=3 & lastinj<=4 //at least 3 shots in last 5 years
```

```
replace ttprotect=1 if totet>=4 & lastinj<=9 //at least 4 shots in last 10 years
```

```
replace ttprotect=1 if totet>=5 //at least 2 shots in lifetime
```

```
*replace ttprotect=0 if ttprotect==.
```

```
lab var ttprotect "Full Neonatal Tetanus Protection"
```

```
ta ttprotect if bidx==1 [iw=wt]
```

File Attachments

1) [tetanus.do](#), downloaded 398 times

Subject: Re: Births protection against neonatal tetanus
Posted by [kclakhara](#) on Tue, 12 Jun 2018 11:02:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Bridgette Wellington,

Thank you so much for the your technical support.

With Regards,

