
Subject: weighting and creating SVY command for multilevel analysis of two level of data SPA -NEPAL

Posted by [rkchettri](#) on Tue, 24 Jul 2018 00:09:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear DHS expert,

I tried many times and looked all the post related to svyset commands of for multilevel analysis. I tried to set the svy command using Nepal SPA data like this

```
***weighting *****
```

```
gen clwt= clientwt/1000000
```

```
gen fcwt= facwt/1000000
```

```
egen strata=group(factype region)
```

```
first create svycommand***
```

```
svyset facil, weight(fcwt) strata( strata) singleunit(centered) ||_n, weight(clwt)
```

But this svy command is not working, would you help me to solve this problem?

Regards,

Rk

Subject: Re: weighting and creating SVY command for multilevel analysis of two level of data SPA -NEPAL

Posted by [Bridgette-DHS](#) on Tue, 14 Aug 2018 21:11:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Senior Research Associate, Wenjuan Wang:

The simple answer is that we don't have separate sampling weights for each level, in this case, for the selection of facilities within a stratum and the selection of clients within a facility. There is a similar issue when people try to run multilevel models with DHS data. SPA has a client weight; but its computation takes the multi-stage selection into account, not just the selection of clients in the second stage. So it is not the ideal weight to use for the second level. In past work, we have used facility weight as the first level weight, and assumed equal weight for all clients in the same facility (which may not be true). In your case, you would let clwt=1. This is the best we can do and other researchers may have done it differently.
