Subject: Values don't match with reported values/Antenatal care by medically trained professionals

Posted by mahmudornob on Thu, 09 Aug 2018 08:29:54 GMT

View Forum Message <> Reply to Message

Dear all,

I am a beginner in Stata (just started a couple of days ago), learning simple code. For practising, I am trying to mimic the table value of Bangladesh DHS Final Report 2014.

From table 9.1 Antenatal Care, we can see the total percentage of women taken cared by Nurse/midwife/paramedic is 3.3. However, when I use to following syntax (it seems childish), I got the value 3.48. Apart from antenatal care provided by Doctor, all the remaining variables showed little difference than the tabulated values.

can anybody help me to find out my mistakes?

Any help in this regard would be appreciated.

\*\*\*\*\*\*\*\*\*\*\*\*\*

gen Doctor=.
replace Doctor=m2a\_1
gen wgt=v005/1000000
tab Doctor [iweight=wgt]
gen NMFP=.
replace NMFP=1 if m2b\_1==1 & m2a\_1==0
replace NMFP=0 if m2b\_1==0
gen wgt=v005/1000000
tab NMFP [iweight=w gt]

Subject: Re: Values don't match with reported values/Antenatal care by medically trained professionals

Posted by Mlue on Thu, 09 Aug 2018 19:55:24 GMT

View Forum Message <> Reply to Message

Hello,

Try to use the births recode... and use the attached file to help you derive the indicator you're looking for.

Mlue

File Attachments

1) SKILLED ANTENATAL CARE - BANGLADESH 2014.txt, downloaded 788 times

Subject: Re: Values don't match with reported values/Antenatal care by medically trained professionals

Posted by mahmudornob on Sat, 11 Aug 2018 07:16:25 GMT

View Forum Message <> Reply to Message

Dear MLULEKI TSAWE,

Thank you so much for your guidelines. It seems like a complete syntax. I really did not expect that much!. I do appreciate it.

Everything seems working properly except The following code:

\*\* DROP IF NOT WITHIN SAMPLE
qui regr m2a m2b m2c m2d m2e /\*if v208 >0 & v208 !=.\*/ [pw=weight]
drop if e(sample)!=1

In my case, it shows error (Photo attached) and perhaps, it is affecting the downstream analysis.

Would you mind to suggest me how to solve this (It seems complicated to me as I am a beginner in Stata).

I am looking forward to hearing your suggestion.

Thanking you, Mahmudul

File Attachments

1) Drop.JPG, downloaded 804 times

Subject: Re: Values don't match with reported values/Antenatal care by medically trained professionals

Posted by Mlue on Sat, 11 Aug 2018 08:37:35 GMT

View Forum Message <> Reply to Message

Hello Mahmudul,

Please try the code below... I have used the "keep if" command. Hopefully this will work.

Good luck...

```
INDIVIDUAL RECODE: BDIR72FL
BDHS 2014
BY: MLULEKI TSAWE - (University of the Western Cape, South Africa)
*/
clear all
set matsize 800
set mem 1g
set maxvar 9000
cd "..." // change path
use "BDBR72FL", clear
set more off
** WEIGHT VARIABLE
gen weight = v005/1000000
** SURVEY SET
gen psu = v021
gen strata = v023
svyset psu [pw = weight], strata(strata) vce(linearized)
*svydes
// RENAME
rename v013 age
rename v106 education
rename v190 wealth
rename v025 residence
rename v024 region
*rename sdist district
** QUALIFIED DOCTOR
recode m2a (1=1 "doctor") (0=0 "not doctor") (else=.), gen(doctor)
label var doctor "Antenatal care provided by a doctor"
label val doctor doctor
```

<sup>\*\*</sup> NURSE/MIDWIFE/PARAMEDIC

```
cap drop NMP
gen NMP=.
replace NMP = 0 if m2b==0 | (m2a==1)
replace NMP = 1 if m2b==1 \& (m2a ==0)
label define NMP 0"not NMP" 1"NMP"
label var NMP "Antenatal care provided by a nurse/midwife/paramedic"
label val NMP NMP
** FAMILY WELFARE VISITOR
cap drop FWV
gen FWV=.
replace FWV = 0 if m2c==0 | (m2a==1)
replace FWV = 1 if m2c == 1 & (m2a == 0 & m2b == 0)
label define FWV 0"not FWV" 1"FWV"
label var FWV "Antenatal care provided by a family welfare visitor"
label val FWV FWV
** COMMUNITY SKILLED BIRTH ATTENDANT
cap drop CSBA
gen CSBA=.
replace CSBA = 0 if m2d==0 | (m2a==1)
replace CSBA = 1 if m2d==1 & (m2a ==0 & m2b==0)
label define CSBA 0"not CSBA" 1"CSBA"
label var CSBA "Antenatal care provided by a community skilled birth attendant"
label val CSBA CSBA
** MEDICAL ASSISTANT/SUB-ASSISTANT COMMUNITY MEDICAL OFFICER (MA/SACMO)
cap drop MA SACMO
gen MA SACMO=.
replace MA\_SACMO = 0 if m2e==0 | (m2a==1)
replace MA SACMO = 1 if m2e==1 & (m2a ==0 & m2b==0)
label define MA SACMO 0"not MA SACMO" 1"MA SACMO"
label var MA_SACMO "Antenatal care provided by a medical assistant/sub-assistant community
medical officer (ma/sacmo)"
label val MA SACMO MA SACMO
** COMMUNITY HEALTH CARE PROVIDER
cap drop CHCP
gen CHCP=.
replace CHCP = 0 if m2f==0 | (m2a==1)
replace CHCP = 1 if m2f==1 & (m2a ==0 & m2b==0)
label define CHCP 0"not CHCP" 1"CHCP"
label var CHCP "Antenatal care provided by a community health care provider"
label val CHCP CHCP
```

Page 4 of 11 ---- Generated from The DHS Program User Forum

```
** SKILLED ANTENATAL CARE PROVIDER
     Percentage receiving antenatal care from a skilled provider
gen skilled ANC = 0
label define skilled_ANC 0"Unskilled" 1"Skilled provider"
label var skilled_ANC "Antenatal care from a skilled provider"
label val skilled_ANC skilled_ANC
foreach xvar of varlist m2a m2b m2c m2d m2e {
replace skilled ANC=1 if `xvar'==1
}
** ANTENATAL CARE VISITS
* Replicating DHS table
cap drop antenatal_dhs
recode m14 (0=0 "None") (1=1 "1") (2=2 "2") (3=3 "3") (4/32=4 "4+") ///
(else=88 "DNK/Missing"), gen(antenatal_dhs)
label var antenatal dhs "Antenatal visits - as in SLDHS report"
label val antenatal dhs antenatal dhs
* Any antenatal care
cap drop any_ANC
recode m14 (1/20=1 "Any ANC") ///
(else=0 "None/DNK/Missing"), gen(any_ANC)
label var any_ANC "Any antenatal care visit"
label val any_ANC any_ANC
=====*
** DROP IF NOT WITHIN SAMPLE
keep if m2a!=. | m2b!=. | m2c!=. | m2d!=. | m2e!=.
** CHECK
tab skilled_ANC [iw=weight], missing
```

```
svy: tab skilled ANC, percent format(%4.1f)
svy: tab wealth skilled_ANC, percent format(%4.1f) row miss
svy: tab antenatal dhs residence, percent format(%4.1f) col miss
tabstat m14 if antenatal dhs >=1 & antenatal dhs <=4 [aw=weight], by(residence) stat(mean sd
min max) format(%4.1f) long
tabstat m14 if antenatal dhs >=1 & antenatal dhs <=4 [aw=weight], by(age) stat(mean sd min
max) format(%4.1f) long
* Mothers age at birth
cap drop agebirth
gen agebirth=(b3-v011)/12
tab agebirth
cap drop age_at_birth
recode agebirth (min/19.91667=1 "<20") (20/34.91667=2 "20-34") ///
(35/max=3 "35=49"), gen(age_at_birth)
label var age_at_birth "Mother's age at birth"
label val age_at_birth age_at_birth
svy: tab age_at_birth skilled_ANC, percent format(%4.1f) row miss
***********
* Current age
recode v012 (15/19=1 "<20") (20/34=2 "20-34") (35/49=3 "35=49"), gen(age current)
label var age_current "Current age of respondent"
label val age_current age_current
* Marital status
recode v501 (1=1 "Married") (else=0 "Not married"), gen (marital_stat)
label var marital_stat "Marital status"
label val marital stat marital stat
* Birth order
gen birth order1 = bord
replace birth order1 = bord-1 if b0 == 2
replace birth order1 = bord-2 if b0 == 3
recode birth_order1 (1=1 "1") (2/3=2 "2-3") (4/5=3 "4-5") ///
(6/20=4 "6+"), gen(birth_order)
label var birth order "Birth order"
label values birth order birth order
```

svy: tab skilled\_ANC, count format(%4.0f)

```
* Educational attainment
cap drop educ_attainment
recode v149 (0=0 "No education") (1=1 "Primary incomplete") ///
(2=2 "Primary complete") (3=3 "Secondary incomplete") ///
(4/5=4 "Secondary complete or higher"), gen(educ_attainment)
label var educ attainment "Educational attainment"
label val educ attainment educ attainment
** READING NEWSPAPERS (at least once a week)
cap drop news once
recode v157 (2/3=1 "Yes") (else=0 "No"), gen(news once)
label variable news once "Reads a newspaper at least once a week?"
label values news_once news_once
** WATCHES TV (at least once a week)
cap drop watch_tv
recode v159 (2/3=1 "Yes") (else=0 "No"), gen(watch_tv)
label variable watch tv "Watches television at least once a week?"
label values watch_tv watch_tv
** LISTENS TO THE RADIO (at least once a week)
cap drop listen radio
recode v158 (2/3=1 "Yes") (else=0 "No"), gen(listen_radio)
label variable listen radio "Listens to the radio at least once a week?"
label values listen radio listen radio
* ACCESSES ALL THREE MEDIA (at least once a week)
cap drop all_media
gen all_media = 0
foreach groupvar of varlist news once watch to listen radio {
replace all_media=1 if (news_once==1 & watch_tv==1 & listen_radio==1)
```

label define all media 0"No" 1"Yes" label variable all media "Accesses all three media at least once a week" label values all\_media all\_media \* CEB recode v201 (1=1 "1 child") (2/3=2 "2-3 children") /// (4/max = 3 "4 + children"), gen (parity)label var parity "Total number of children ever born = parity" label val parity parity \* Region and residence = Sub-regions cap drop sub region egen sub\_region = group(region residence), label =====\* =====\* ----\* \*\* MORE CHECKS \*\* \*\*\* Table 9.1 Antenatal care \*\*\* svy: tab age\_at\_birth skilled\_ANC, percent format(%4.1f) row miss svy: tab birth\_order skilled\_ANC, percent format(%4.1f) row miss svy: tab residence skilled\_ANC, percent format(%4.1f) row miss svy: tab region skilled\_ANC, percent format(%4.1f) row miss \*svy: tab educ\_attainment skilled\_ANC, percent format(%4.1f) row miss tab educ attainment skilled ANC [iw=weight], row miss nof svy: tab wealth skilled\_ANC, percent format(%4.1f) row miss svy: tab news\_once skilled\_ANC, percent format(%4.1f) row svy: tab watch\_tv skilled\_ANC, percent format(%4.1f) row svy: tab listen\_radio skilled\_ANC, percent format(%4.1f) row \*svy: tab all\_media skilled\_ANC, percent format(%4.1f) row

svy: tab v130 skilled ANC, percent format(%4.1f) row

```
svy: tab v501 skilled_ANC, percent format(%4.1f) row
svy: tab parity skilled_ANC, percent format(%4.1f) row
tab sub_region skilled_ANC [iw=weight], row miss nof
*svy: tab sub_region skilled_ANC, percent format(%4.1f) row
svy: tab age_at_birth skilled_ANC, count format(%4.0f) miss
svv: tab birth order skilled ANC, count format(%4.0f) miss
svy: tab residence skilled ANC, count format(%4.0f) miss
svy: tab region skilled ANC, count format(%4.0f) miss
svy: tab educ_attainment skilled_ANC, count format(%4.0f) miss
svy: tab wealth skilled_ANC, count format(%4.0f) miss
svy: tab news_once skilled_ANC, count format(%4.0f) miss
svy: tab watch tv skilled ANC, count format(%4.0f) miss
svy: tab listen radio skilled ANC, count format(%4.0f) miss
svy: tab all_media skilled_ANC, count format(%4.0f) miss
svy: tab v130 skilled_ANC, count format(%4.0f) miss
svy: tab v501 skilled_ANC, count format(%4.0f) miss
svy: tab parity skilled_ANC, count format(%4.0f) miss
svy: tab sub_region skilled_ANC, count format(%4.0f) miss
exit
svy: glm skilled ANC ib(1).age at birth ib(0).marital stat ///
```

ib(4).v130 ib(0).educ attainment ib(1).wealth ib(4).birth order ///

```
ib(1).parity ib(0).all_media ib(2).residence ib(1).region, family(binomial) link(logit) eform cformat(%4.1f)

svy: logistic skilled_ANC ib(1).age_at_birth ib(0).marital_stat ///
ib(4).v130 ib(0).educ_attainment ib(1).wealth ib(4).birth_order ///
ib(1).parity ib(0).all_media ib(2).residence ib(1).region, cformat(%4.1f)

/*

svy: logistic skilled_ANC age_at_birth marital_stat ///
v130 educ_attainment wealth birth_order ///
parity all_media residence region

graph bar (mean) skilled_ANC [pweight = weight], over(wealth) blabel(total, format(%6.2f))
ytitle(Average antenatal care use) by(, title(Average antenatal care use by wealth)
subtitle(Differentials by residence) note(SLDHS (2013))) by(residence)
```

## File Attachments

1) SKILLED ANTENATAL CARE - BANGLADESH 2014 \_ 11-08-2018.txt, downloaded 879 times

Subject: Re: Values don't match with reported values/Antenatal care by medically trained professionals

Posted by tahneiaguader on Sun, 12 Aug 2018 07:20:55 GMT

View Forum Message <> Reply to Message

Dear Mluleki Tsawe,

First of all, I would like to thank you for sharing such a wonderful syntax with everyone. I checked with the syntax and It worked perfectly.

While using this syntax, I was increasingly interested in your research and got acquainted with one of your articles entitled "Factors influencing the use of maternal healthcare services and childhood immunization in Swaziland".

In this article, you have shown the p-values and Chi-square of the target factors (table 2) and

the target factors you have chosen for your article and in the syntax here are identical.

Would you mind to share your invaluable suggestion and syntax on how to perform these using the same data presented here (in the case of Bangladesh)

Your guidelines will help us all in our future research.

Thanking you,
Tahneia Quader
Hankuk University of Foreign Studies

Subject: Re: Values don't match with reported values/Antenatal care by medically trained professionals

Posted by mahmudornob on Sun, 12 Aug 2018 23:30:36 GMT

View Forum Message <> Reply to Message

## Dear MLULEKI TSAWE,

Thank you so much. Now it works perfectly. Your syntax saved my huge time, maybe more than a couple of months. Without your help, I had to learn everything one by one. Most importantly, with this syntax, I can understand what is going on in real-time. So, it helped me a lot to learn the basics.

Thank you once again for your kind cooperations and guidelines.

Sincerely, Mahmudul