Subject: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by mahmudornob on Thu, 23 Aug 2018 02:29:22 GMT View Forum Message <> Reply to Message

Dear Altruist,

I am trying to replicate Bangladesh DHS Final Report 2014's table 9.5 (Place of Delivery & Facility-based Delivery) & 9.8 (Birth attended by Medically Trained Provider). I have generated a syntax (please find the attached do file), following the suggestions from old posts, which shows a slight deviation from the reported values. The reason should be, my total N is 4,895 whereas DHS table N is 4,904.

Also, I could not find any variable related birthing hut as shown in table 9.5.

Would anybody please suggest me where I am making mistake? It would be an immense help.

Thanking you, Mahmudul

File Attachments
1) Do-file for PoD and AD.do, downloaded 734 times

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by Mlue on Wed, 29 Aug 2018 09:02:39 GMT View Forum Message <> Reply to Message

Hello Mahmudul,

I am also getting 4,895. I have no idea how to get 4,904 as reported in the BDHS2014 report.

Tsawe

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by Bridgette-DHS on Wed, 29 Aug 2018 12:25:35 GMT View Forum Message <> Reply to Message

There are 9 missing cases which brings the number to 4,904 - please see the frequency below:

File Attachments

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by Mlue on Wed, 29 Aug 2018 13:42:15 GMT View Forum Message <> Reply to Message

Hi Bridgette,

I still can't figure out how the "9" (Missing) is derived.

I checked the report and it states that: Quote:Note: Total include six births with missing information on number of antenatal care visits..

I used a similar code to that posted by Mahmudul.

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by Bridgette-DHS on Wed, 29 Aug 2018 14:24:46 GMT View Forum Message <> Reply to Message

Following is a response from Senior Data Processing Specialist, Fidele Mutima:

Table 9.5:

Variables used to run table 9.5 are: M15 (Place of delivery) Values 10 to 19 for home; 20 to 29 for public sector; 30 to 39 for private sector; 40 to 41 for NGO; 46 for birthing hut; and 96 to 99 (missing) for other/missing. The total N is 4904; you probably might not have considered the missing.

Table 9.8:

As stated in the footnote, Medically trained provider includes doctor, nurse, midwife, paramedic, FWV (Family welfare visitor) and CSBA (Community health care provider). Variables used to run table 9.8 are: M3A = 1 for doctor; M3B = 1 for nurse/midwife/paramedic; M3C = 1 for FWV; M3D = 1 for CSBA; M3F = 1 for CHCP; S433G = 1 or S433H = 1 for HA/FWA; S433I = 1 for NGO worker; M3G = 1 for trained TBA; M3H = 1 for untrained TBA; M3I = 1 for unqualified doctor; M3L = 1 or M3K = 1 or M3M = 1 for relatives/ friends and others; M3N = 1 for no one; and all the rest are included in missing.

Variable related to Birthing Hut:

For "Place of Delivery", "Delivery Hut" was coded 36 in variable Q434 in the raw data. In the recode data, "Delivery Hut" was included in code 46 in variable M15 ("Other NGO sector").

Thank you again for using the DHS data and I hope that these responses will clarify differences you had when running tables.

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by mahmudornob on Thu, 30 Aug 2018 05:30:48 GMT View Forum Message <> Reply to Message

Dear Mlue,

Still I am getting 4,895. After keeping the cases where births occurred in the three years preceding the survey, I checked any cases for missing but didn't get any missing case.

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by mahmudornob on Thu, 30 Aug 2018 05:40:24 GMT View Forum Message <> Reply to Message

Dear Fidele Mutima and Bridgette,

Thanks for sharing your suggestions on my query. I really do appreciate your efforts. However, I am getting 4,895 still now. After keeping the cases where births occurred in the three years preceding the survey (as per reported table) by using the following syntax, I checked any cases for missing but unfortunately didn't get any missing case in the data.

///REPLICATING TABLE 9.5///Place of Delivery ///VARIABLES GENERATION/// cd " C:\Users\Ornia\Downloads\BD 2014 DHS STATA\BDBR72DT" use " BDBR72FL", clear set more off ****WEIGHT VARIABLE** gen weight = v005/1000000** SURVEY SET gen psu = v021 den strata = v023svyset psu [pw = weight], strata(strata) vce(linearized) *svvdes ** BIRTHS IN THE THREE YEARS PRECEDING THE SURVEY keep if v238>0 & v238!=.

edit

sort m15

Would you mind to check the publicly downloadable data?

Your suggestion would be invaluable for my research.

Thanking you, Mahmudul

File Attachments

1) Capture for DHS.JPG, downloaded 705 times

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by Mlue on Thu, 30 Aug 2018 08:02:10 GMT View Forum Message <> Reply to Message

Hello Mahmudul,

The issue is the Stata datafile. It does not have the category for missing "99", hence it seems impossible to get these results. The SAS datafile also does not have category 99 for variable "m15".

You may request the DHS Program to check this issue. While you wait for this to be resolved, you can try the following options:

1. Download the SPSS version (if you have access to SPSS) and save the data as Stata from this software package.

- 2. Download and use the ASCII file in Stata
- 3. Download the SPSS file, and try the code below. It will work ONLY if your PC is 32-bit
- 4. DO NOTHING, and wait for the DHS team to resolve the issue.

/*

DOWNLOAD "SPSS" VERSION OF THE DATASET AND USE IT BECAUSE THE Stata VERSION DOES NOT HAVE CATEGORY "99"

*/

ssc install usespss // will work on a 32-bit system

clear all set matsize 800 set mem 1g set maxvar 9000 cd "..." // PATH usespss "BDKR72FL.SAV", clear // SPSS VERSION OF THE DATASET. usespss will work only on 32-bit system set more off **** WEIGHT VARIABLE** gen weight = V005/1000000** SURVEY SET gen psu = V021 gen strata = V023 svyset psu [pw = weight], strata(strata) vce(linearized) rename V013 age rename V106 education rename V190 wealth rename V025 residence rename V024 region ···· *keep if V238 >=1 & V238 <=3 // births in the last THREE years ** DELIVERY CARE = Place of delivery

cap drop delivery_place recode M15 (20/29=1 "Public sector") (30/39=2 "Private sector") /// (40/41=3 "NGO") (46=4 "Birthing hut") (10/19=5 "Home") /// (96/99=6 "Other/missing"), gen(delivery_place) *tab delivery_place [iw=weight] *svy: tab delivery_place, count format(%4.0f) *svy: tab delivery_place, percent format(%4.1f)

** FACILITY DELIVERY cap drop facility_deliveries recode delivery_place (1/3=1 "Facility births") (4/6=0 "Non-facility"), gen(facility_deliveries) label var facility_deliveries "Facility-based deliveries" label val facility_deliveries facility_deliveries *tab facility deliveries [iw=weight], m *svy: tab facility deliveries, count format(%4.0f) *svy: tab facility_deliveries, percent format(%4.1f) ** **** SKILLED BIRTH ATTENDANT** cap drop skilled birth gen skilled_birth=0 replace skilled_birth = 1 if M3A==1 | M3B==1 | M3C==1 | M3D==1 replace skilled_birth = 0 if M3A==0 & M3B==0 & M3C==0 & M3D==0 label define skilled_birth 0"Unskilled" 1"Skilled" label var skilled birth "Birth delivered by skilled birth attendant" label val skilled birth skilled birth *tab skilled birth [iw=weight], m *svy: tab skilled_birth, percent format(%4.1f) *svy: tab wealth skilled_birth, percent format(%4.1f) row ** ** 44 ______ ** **** ANTENATAL CARE** cap drop antental visits recode M14 (0=0 "None") (1/3=1 "1-3") (4/20=2 "4+") (else=9 "Other/missing"), gen(antental_visits) label var antental_visits "Antenatal visits" label val antental_visits antental_visits ** ** ** ** C-SECTION cap drop c_section recode M17 (1=1 "C-section") (else=0 "Not C-section"), gen(c_section) label var c section "Births delivered by a C-section" label val c section c section

**			
**			
**			

/*

cap drop skilled_births gen skilled_births = 0 label define skilled_births 0"Unskilled" 1"Skilled" label var skilled_births "Birth delivered by skilled birth attendant" label val skilled_births skilled_births

** SKILLED BIRTH ATTENDANTS RECODE

```
foreach xvar of varlist M3A M3B M3C M3D {
replace skilled_births=1 if `xvar'==1
}
*
tab skilled_births [iw=weight], m
svy: tab wealth skilled_births, percent format(%4.1f) row
*/
```

```
*______
```

====*

keep if delivery_place !=.

** CHECK tab delivery_place [iw=weight], m tab facility_deliveries [iw=weight], m tab skilled_birth [iw=weight], m tab c_section [iw=weight], m

svy: tab delivery_place, count format(%4.0f) svy: tab facility_deliveries, count format(%4.0f) svy: tab skilled_birth, count format(%4.0f) svy: tab c_section, count format(%4.0f)

svy: tab delivery_place, percent format(%4.1f)
svy: tab facility_deliveries, percent format(%4.1f)
svy: tab skilled_birth, percent format(%4.1f)

svy: tab c_section, percent format(%4.1f)

exit

svy: tab wealth delivery_place, percent format(%4.1f) row svy: tab wealth facility_deliveries, percent format(%4.1f) row svy: tab wealth skilled_birth, percent format(%4.1f) row svy: tab wealth c_section, percent format(%4.1f) row

Subject: Re: Slight Deviation from Reported Value: BDHS 2014 place of delivery and assistance during delivery Posted by mahmudornob on Thu, 30 Aug 2018 09:32:36 GMT View Forum Message <> Reply to Message

Hello Mlue,

Thanks for your advice. You always saved my time. Without your guidance, it would be impossible for me to learn Stata in this short period of time. Now I will try option 1. However, option 4 seems like more convenient.

Thanks once again...

Page 8 of 8 ---- Generated from The DHS Program User Forum