
Subject: family structure

Posted by [Muntaha](#) on Fri, 23 Aug 2019 08:16:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

I need help in constructing family structure variable in Stata software by using data from a household survey. I have data on household roster and to create family structure variable i will be using data of these variables: hhcode, relation to head, gender, marital status and residential status.

In family structure variable, I want to create three types of families: nuclear family(coded as 1), extended family(coded as 2) and multiple family(coded as 3).

Nuclear family criteria: husband and wife living with their unmarried children

Extended family criteria: husband, wife, married/unmarried children, parents, and any unmarried sibling living together.

Multiple family criteria: more than one married siblings living together

I am unable to find Stata commands that can help me in this regard.

Subject: Re: family structure

Posted by [Bridgette-DHS](#) on Tue, 03 Sep 2019 18:46:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Following is a response from DHS Research & Data Analysis Director, Tom Pullum:

Below are some Stata lines that will help get you started, using the 2017 DHS survey of the Philippines to identify nuclear households. The lines tell you whether the household contains one person with hv101=1, one person with hv101=2, at least one person with hv101=3, and no other persons. Some modifications are possible, e.g. using hv111-hv114 to check whether each child of the household head is also a child of the spouse of the household head. You might also want to check the ages of the children (it's possible that some children are adults). No matter how carefully you define your household types, a few households will probably be hard to classify. A limitation is that you do not know how everyone in the household is related to everyone else.

Good luck

* identify nuclear households: head, spouse, children

```
use "C:\Users\26216\ICF\Analysis - Shared Resources\Data\DHSdata\PHPR70FL.DTA" , clear
```

```
cd e:\DHS\DHS_data\scratch
```

```
keep hv001 hv002 hvidx hv101-hv105 hv111-hv114
```

```
label list HV101
```

```
sort hv001 hv002 hvidx
```

```
save PHtemp.dta, replace
```

```
gen n=1
```

```
levelsof hv101, local(levels_hv101)
foreach li of local levels_hv101 {
gen n_`li'=0
replace n_`li'=1 if hv101==`li'
}
```

```
collapse (sum) n*, by(hv001 hv002)
```

```
gen family_type=.
replace family_type=1 if n_1==1 & n_2==1 & n_3>0 & n==n_1+n_2+n_3
```

```
tab family_type, m
```

```
* construct other types
* then can merge back to PHtemp.dta
```

Subject: Re: family structure
Posted by [Mr_Bokoboko](#) on Wed, 25 Sep 2019 09:41:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Morning,

Could this work?

```
* identify nuclear households: head, spouse, children
clear all
set mem 1000
cd "C:\Users\Bokoboko\Desktop\SADHS\DATASET\ZAPR71DT"
use "ZAPR71FL", clear
```

```
**
=====
**
```

```
*keep hhid hv001 hv002 hvidx hv101-hv105 hv111-hv114
label list HV101
```

```
**
=====
**
```

```
cap drop relationship
gen relationship=99
```

```

replace relationship = 1 if hv101 == 1
replace relationship = 2 if hv101 == 2
replace relationship = 3 if inlist(hv101,3,11,13,14)
replace relationship = 4 if hv101 == 8
replace relationship = 5 if hv101 == 6
*replace relationship = 6 if hv101 == ??
replace relationship = 7 if hv101 == 5
replace relationship = 8 if inlist(hv101,4,7,10)
replace relationship = 9 if hv101 == 12
label define relationship 1 "Head/acting head" 2 "Husband/wife/partner" ///
3 "Son/daughter/stepchild/adopted child" 4 "Brother/sister/stepbrother/stepsister" ///
5 "Father/mother/stepfather/stepmother" 6 "Grandparent/great grandparent" ///
7 "Grandchild/great grandchild" 8 "Other relative" 9 "Non-related persons" ///
99 "Unspecified"
label var relationship "Relationship to head"
label val relationship relationship

sort hhid hv001 hv002 hvidx

by hhid: generate hhsz=_N
egen hhtag = tag(hhid)

sort hv001 hv002

save PHtemp.dta, replace

**
=====
**

gen n=1
levelsof relationship, local(levels_hv101)
foreach li of local levels_hv101 {
gen n_`li'=0
replace n_`li'=1 if relationship==`li'
}
*

collapse (sum) n*, by(hhsz hv001 hv002)

tab1 n*, m

cap drop family_type
gen family_type=.
*replace family_type=1 if n_1==1 & n_2==1 & n_3>0 & n==n_1+n_2+n_3
replace family_type = 1 if hhsz == 1
replace family_type = 2 if (n_1 >=1 & n_2 >=1) | (n_1 >=1 & n_3 >=1)
replace family_type = 3 if (n_4 >=1 | n_5>=1) | (/n_6 >=1 | / n_7>=1) | (n_8 >=1)

```

```

replace family_type = 4 if n_9 >= 1
replace family_type = . if n_1 == 0
label define family_type 1"Single" 2"Nuclear" 3"Extended" 4"Complex" 9"Unspecified"
label var family_type "Family type / household composition"
label val family_type family_type

```

```

tab family_type, m

```

```

**

```

```

=====
**

```

```

** MERGE **

```

```

sort hv001 hv002

```

```

merge 1:m hv001 hv002 using "C:\Users\Mluleki\Desktop\SADHS 2016

```

```

DATA\DATASETS\ZAPR71DT\PHtemp.dta"

```

```

duplicates report

```

```

cap drop _merge

```

```

order hhid hhsz hv001 hv002 hv005 family_type hv105 hv104 hv217 hv021 hv023 relationship

```

```

///

```

```

n n_1 n_2 n_3 n_4 n_5 n_7 n_8 n_9 *

```

```

**

```

```

=====
**

```

```

** SURVEY SET

```

```

gen person_wgt=hv005/1000000

```

```

gen psu = hv021

```

```

gen strata = hv023

```

```

svyset psu [pw = person_wgt], strata(strata) vce(linearized)

```

```

**

```

```

=====
**

```

```

tab hv101 family_type, m

```

```

svy: tab family_type, percent format(%9.1f) col miss

```

```

tabstat hhsz [aw=person_wgt], by(family_type) stat(mean median sd min max) format(%9.1f)

```

```

tabstat hhsz if hhtag==1 [aw=person_wgt], by(family_type) stat(mean median sd min max)

```

```

format(%9.1f)

```

```

*****

```

```

tab family_type [iw= person_wgt], m

```

svy: tab family_type, count format(%9.0f) miss
svy: tab family_type, percent format(%9.1f) col miss

svy: tab hv270 family_type, count format(%9.0f) miss
svy: tab hv270 family_type, percent format(%9.1f) row miss

svy: tab hv109 family_type, percent format(%9.1f) row miss

**
=====
**

exit

Subject: Re: family structure
Posted by [Muntaha](#) on Mon, 20 Jan 2020 05:37:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thankyou for your help

Subject: Re: family structure
Posted by [Muntaha](#) on Mon, 20 Jan 2020 05:38:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thankyou for your help