Subject: family structure

Posted by Muntaha on Fri, 23 Aug 2019 08:16:09 GMT

View Forum Message <> Reply to Message

I need help in constructing family structure variable in Stata software by using data from a household survey. I have data on household roster and to create family structure variable i will be using data of these variables: hhcode, relation to head, gender, marital status and residential status.

In family structure variable, I want to create three types of families: nuclear family(coded as 1), extended family(coded as 2) and multiple family(coded as 3).

Nuclear family criteria: husband and wife living with their unmarried children

Extended family criteria: husband, wife, married/unmarried children, parents, and any unmarried sibling living together.

Multiple family criteria: more than one married siblings living together I am unable to find Stata commands that can help me in this regard.

Subject: Re: family structure

Posted by Bridgette-DHS on Tue, 03 Sep 2019 18:46:14 GMT

View Forum Message <> Reply to Message

Following is a response from DHS Research & Data Analysis Director, Tom Pullum:

Below are some Stata lines that will help get you started, using the 2017 DHS survey of the Philippines to identify nuclear households. The lines tell you whether the household contains one person with hv101=1, one person with hv101=2, at least one person with hv101=3, and no other persons. Some modifications are possible, e.g. using hv111-hv114 to check whether each child of the household head is also a child of the spouse of the household head. You might also want to check the ages of the children (it's possible that some children are adults). No matter how carefully you define your household types, a few households will probably be hard to classify. A limitation is that you do now know how everyone in the household is related to everyone else. Good luck

\* identify nuclear households: head, spouse, children

use "C:\Users\26216\ICF\Analysis - Shared Resources\Data\DHSdata\PHPR70FL.DTA", clear

cd e:\DHS\DHS\_data\scratch

keep hv001 hv002 hvidx hv101-hv105 hv111-hv114 label list HV101

sort hv001 hv002 hvidx save PHtemp.dta, replace

gen n=1

```
levelsof hv101, local(levels_hv101)
foreach li of local levels hv101 {
gen n_`li'=0
replace n_`li'=1 if hv101==`li'
collapse (sum) n*, by(hv001 hv002)
gen family type=.
replace family type=1 if n 1==1 & n 2==1 & n 3>0 & n==n 1+n 2+n 3
tab family_type, m
* construct other types
```

Subject: Re: family structure Posted by Mr\_Bokoboko on Wed, 25 Sep 2019 09:41:53 GMT View Forum Message <> Reply to Message

Morning,

```
Could this work?
* identify nuclear households: head, spouse, children
clear all
set mem 1000
cd "C:\Users\Bokoboko\Desktop\SADHS\DATASET\ZAPR71DT"
use "ZAPR71FL", clear
*keep hhid hv001 hv002 hvidx hv101-hv105 hv111-hv114
label list HV101
```

cap drop relationship gen relationship=99

<sup>\*</sup> then can merge back to PHtemp.dta

```
replace relationship = 1 if hv101 == 1
replace relationship = 2 if hv101 == 2
replace relationship = 3 if inlist(hv101,3,11,13,14)
replace relationship = 4 if hv101 == 8
replace relationship = 5 if hv101 == 6
*replace relationship = 6 if hv101 == ??
replace relationship = 7 if hv101 == 5
replace relationship = 8 if inlist(hv101,4,7,10)
replace relationship = 9 if hv101 == 12
label define relationship 1 "Head/acting head" 2 "Husband/wife/partner" ///
3 "Son/daughter/stepchild/adopted child" 4 "Brother/sister/stepbrother/stepsister" ///
5 "Father/mother/stepfather/stepmother" 6 "Grandparent/great grandparent" ///
7 "Grandchild/great grandchild" 8 "Other relative" 9 "Non-related persons" ///
99 "Unspecified"
label var relationship "Relationship to head"
label val relationship relationship
sort hhid hv001 hv002 hvidx
by hhid: generate hhsize=_N
egen hhtag = tag(hhid)
sort hv001 hv002
save PHtemp.dta, replace
gen n=1
levelsof relationship, local(levels_hv101)
foreach li of local levels_hv101 {
gen n_`li'=0
replace n_`li'=1 if relationship==`li'
}
collapse (sum) n*, by(hhsize hv001 hv002)
tab1 n*, m
cap drop family_type
gen family_type=.
*replace family_type=1 if n_1==1 & n_2==1 & n_3>0 & n==n_1+n_2+n_3
replace family_type = 1 if hhsize == 1
replace family_type = 2 if (n_1 >=1 & n_2 >=1) | (n_1 >=1 & n_3 >=1)
replace family type = 3 if (n \ 4 > = 1 | n \ 5 > = 1) | (/*n \ 6 > = 1 | */ n \ 7 > = 1) | (n \ 8 > = 1)
```

```
replace family_type = 4 if n_9 >= 1
replace family_type = . if n_1 == 0
label define family_type 1"Single" 2"Nuclear" 3"Extended" 4"Complex" 9"Unspecified"
label var family_type "Family type / household composition"
label val family_type family_type
tab family_type, m
** MERGE **
sort hv001 hv002
merge 1:m hv001 hv002 using "C:\Users\MlulekiT\Desktop\SADHS 2016
DATA\DATASETS\ZAPR71DT\PHtemp.dta"
duplicates report
cap drop _merge
order hhid hhsize hv001 hv002 hv005 family_type hv105 hv104 hv217 hv021 hv023 relationship
nn_1n_2n_3n_4n_5n_7n_8n_9*
** SURVEY SET
gen person_wgt=hv005/1000000
gen psu = hv021
gen strata = hv023
svyset psu [pw = person_wgt], strata(strata) vce(linearized)
______
tab hv101 family_type, m
svy: tab family type, percent format(%9.1f) col miss
tabstat hhsize [aw=person_wgt], by(family_type) stat(mean median sd min max) format(%9.1f)
tabstat hhsize if hhtag==1 [aw=person_wgt], by(family_type) stat(mean median sd min max)
format(%9.1f)
*******
tab family type [iw= person wgt], m
```

svy: tab family\_type, count format(%9.0f) miss svy: tab family\_type, percent format(%9.1f) col miss svy: tab hv270 family\_type, count format(%9.0f) miss svy: tab hv270 family\_type, percent format(%9.1f) row miss svy: tab hv109 family\_type, percent format(%9.1f) row miss exit Subject: Re: family structure Posted by Muntaha on Mon, 20 Jan 2020 05:37:43 GMT View Forum Message <> Reply to Message Thankyou for your help Subject: Re: family structure Posted by Muntaha on Mon, 20 Jan 2020 05:38:36 GMT View Forum Message <> Reply to Message Thankyou for your help