

Subject: prevalence of anemia and associated factors
Posted by [zelalem](#) on Thu, 21 Nov 2019 06:48:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all

I am going to analyse prevalence of anemia and associated factors in children aged 6-59 months, using Ethiopian DHS 2016, but I have faced a mismatch b/n the report and data set which I am going to use. i.e ETKR70FL stata data set. I have weighted it and I try to treat missing values.

Subject: Re: prevalence of anemia and associated factors

Posted by [Mlue](#) on Thu, 21 Nov 2019 10:28:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello zelalem,

Try this one (use the PR file [ETPR70FL]):

File Attachments

- ## **1) ANAEMIA PREVALENCE AMONG CHILDREN – ETHIOPIA DHS 2016 –**

Subject: Re: prevalence of anemia and associated factors in Under five years children

Posted by kedirm022@gmail.com on Wed, 27 May 2020 12:42:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

I want to apply bayesian Geoadditive on Spatial pattern and associated factors in anemia in Under five years children, Am very challenged to get the Variable name V025,V024 And like that is that it's for mother or children
