

---

Subject: Perinatal Mortality

Posted by [Hassen](#) on Mon, 19 Oct 2020 15:12:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear all, I want to examine factors associated with perinatal mortality. So, which dataset is preferable? How can I calculate the result of table 8.4 Ethiopia DHS 2016 especially, perinatal mortality rate (33 per 1000), Number of stillbirths(130), Number of early neonatal deaths (236) and Number of pregnancies of 7+ months duration (11,071)? I am using 2016 Ethiopia DHS with Stata version 14 software.

With Kind Regards,Hassen A.(MPH)

---

---

Subject: Re: Perinatal Mortality

Posted by [Shireen-DHS](#) on Tue, 20 Oct 2020 16:26:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Hassen,

The indicators you are interested can be calculated using code we have provided on our GitHub site: <https://github.com/DHSProgram>

Specially for Stata code, you should look at Chapter 8 and the do file CM\_PMR.do.  
Please see [https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap08\\_CM](https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap08_CM)

However, before running any code please read the readme file and also the main file for the chapter. You will need to change the paths and select your survey as the first instructions. For the Ethiopia 2016 survey you will need the ETIR71FL.dta and the ETBR71FL.dta files.

Also it may be useful for you to check the Guide to DHS statistics that discuss these indicators.  
[https://www.dhsprogram.com/Data/Guide-to-DHS-Statistics/index.htm#t=Perinatal\\_Mortality.htm](https://www.dhsprogram.com/Data/Guide-to-DHS-Statistics/index.htm#t=Perinatal_Mortality.htm)

Thank you.

Best,  
Shireen Assaf  
The DHS Program

---

---

Subject: Re: Perinatal Mortality

Posted by [Hassen](#) on Wed, 21 Oct 2020 19:47:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear Shireen Assaf, I would like to express my gratitude and appreciation for your attractive response! Thank you very much!!

With Kind Regards, Hassen

---

---

Subject: Re: Perinatal Mortality  
Posted by [Shireen-DHS](#) on Wed, 21 Oct 2020 19:49:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

You are very welcome.  
Best,  
Shireen

---

Subject: Re: Perinatal Mortality  
Posted by [Hassen](#) on Sun, 25 Oct 2020 06:28:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Dr. Shireen Assaf, I want to examine the effects of Female Genital Mutilation (FGM) on Perinatal mortality among women of aged 15-49 years. Hence, Can I use IR dataset only? How can I create a dichotomise outcome variable for Perinatal mortality? How can I create the independent variable 'FGM' having 4 categories (Type 1, 2,3 & not fgm)? or dichotomise into women experienced fgm as cut & otherwise not cut? How can I create Community level factors such as community poverty index, community level educational level...?  
Cheers, Hassen

---

Subject: Re: Perinatal Mortality  
Posted by [Shireen-DHS](#) on Tue, 27 Oct 2020 16:18:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Hassen,

We just recently uploaded the code for the FGM indicators on GitHub. You can find it here:  
[https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap18\\_FG](https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap18_FG)  
Also you can read more about these indicators here:  
[https://www.dhsprogram.com/Data/Guide-to-DHS-Statistics/index.htm#t=18\\_Female\\_Genital\\_Cutting.htm](https://www.dhsprogram.com/Data/Guide-to-DHS-Statistics/index.htm#t=18_Female_Genital_Cutting.htm)  
The FGM indicators us the IR file.

As mentioned previously, before attempting to run any code from our GitHub code share site, please read the readme file and the main file for the chapter.

Perinatal mortality is a rate and you cannot create a dichotomous variable from this.

For your question on community level variables, there are many ways to do this. One easy way is to create a binary variable of the indicator you want at the community level and then take the mean at the cluster level. For example in the code below I create a binary variable for education that is secondary or more. Then I create a cluster or community level variable educlus as shown.

```
recode v106 (0/1=0 "noedu/primary") (2/3=1 "secondary+") (8/9=.), gen(edu)  
bysort v001: egen educlus=mean(edu)
```

Hope this helps.

Best,  
Shireen Assaf  
The DHS Program

---

---

Subject: Re: Perinatal Mortality  
Posted by [Hassen](#) on Tue, 27 Oct 2020 22:52:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Dr.Shireen Assaf,I sent my cheerful acknowledgement to your sweet and clear assistance!  
Thank you very much!!  
With Best Wishes,Hassen Ali

---