
Subject: Checking The Skill of ANC Provider

Posted by shujaat.smc@gmail.com on Mon, 26 Oct 2020 12:58:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear DHS Representative

I want to use variable ANC care provider status as a binary variable (Skilled Vs NonSkilled).

```
gen ANCPProviderStatus=.
```

```
replace ANCPProviderStatus=1 if m3a==0 | m3b==0 | m3c==0 | m3d==0 | m3e==0
```

```
replace ANCPProviderStatus=0 if m3a==1 | m3b==1 | m3c==1 | m3d==1 | m3e==1
```

I use code0 for those women who had received ANC care from a skilled provider.

Kindly check my STATA Command, is this correct, the second reason for asking this question is that the variable I generated by this command is showing the p-value of 0.72 (insignificant).

How can I fix this problem?

Waiting for your reply.

Best Regards

Dr. Hussain

Subject: Re: Checking The Skill of ANC Provider

Posted by shujaat.smc@gmail.com on Mon, 26 Oct 2020 13:25:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear DHS Representative,

For this question I found the following Stata Commands From Git Hub but stata showing error. I am using the BR file of PDHS 2017-18.

/ANC by type of provider

```
gen rh_anc_pv = 5 if m2a_1! = .
```

```
gen rh_anc_pv = 6 if m2a_1! = .
```

```
replace rh_anc_pv = 4 if m2f_1 == 1 | m2g_1 == 1 | m2h_1 == 1 | m2i_1 == 1 | m2j_1 == 1 |  
m2k_1 == 1 | m2l_1 == 1 | m2m_1 == 1
```

```
replace rh_anc_pv = 3 if m2c_1 == 1 | m2d_1 == 1 | m2e_1 == 1
```

```
replace rh_anc_pv = 2 if m2b_1 == 1
```

```
replace rh_anc_pv = 1 if m2a_1 == 1
```

```
replace rh_anc_pv = 5 if m2a_1 == 9
```

```
replace rh_anc_pv = . if age>=period
```

```
label define rh_anc_pv ///
```

```
1 "Doctor" ///
```

```
2 "Nurse/midwife" ///
```

```
3 "Other health worker" ///
```

```
4 "TBA/other/relative" ///
```

```
5 "No ANC"
```

```
5 "Missing" ///
```

```
6 "No ANC"
```

```
label val rh_anc_pv rh_anc_pv
```

```
label var rh_anc_pv "Person providing assistance during ANC"
```

```
//ANC by skilled provider
```

```
recode rh_anc_pv (1/3 = 1 "Skilled provider") (4/5 = 0 "Unskilled provider") , gen(rh_anc_pvskill)
```

```
recode rh_anc_pv (1/3 = 1 "Skilled provider") (4/6 = 0 "Unskilled provider") , gen(rh_anc_pvskill)
```

```
replace rh_anc_pvskill = . if age>=period
```

```
label var rh_anc_pvskill "Skilled assistance during ANC"
```

Waiting for your reply

Best Regards

Dr. Hussain

Subject: Re: Checking The Skill of ANC Provider

Posted by [Shireen-DHS](#) on Mon, 26 Oct 2020 16:34:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Dr. Hussain,

The error is probably because you are using the BR file and not the IR file. The DHS reports this indicator among women so the most recent birth indicated by _1 is examined. If your unit of analysis is the child, then you can use the BR file but remove _1 from the code. Also you need to compute the age and period variables that are found in the RH_age_period.do files in the same chapter on GitHub: https://github.com/DHSProgram/DHS-Indicators-Stata/tree/master/Chap09_RH

Please read the readme file for the Stata repository and also the main file for each chapter before trying to use any of the code. There may be some notes that you miss that are essential.

For the skilled provider, you would need to refer to the Final report of the survey and search for the Table on ANC by provider to look up how a skilled provider is classified for that survey. It can vary from survey to survey as indicated in the notes in the do files on GitHub.

Best,

Shireen Assaf
The DHS Program

Subject: Re: Checking The Skill of ANC Provider
Posted by shujaat.smc@gmail.com on Mon, 26 Oct 2020 17:07:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Shireen,

Thanks a lot, Now I will merge BR and IR file.

Best Regards

Dr. Hussain

Subject: Re: Checking The Skill of ANC Provider
Posted by [Shireen-DHS](#) on Mon, 26 Oct 2020 17:10:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

There is no need to merge BR and IR. The information you need in the IR is also in the BR. The question is what is your unit of analysis, the women or the child. If it's the child use the BR file, if it's the woman use the IR file.

Hope that helps.

Thank you.

Shireen
