
Subject: Vaccination (Table 10.4) - SADHS 2016
Posted by [Mlue](#) on Tue, 02 Jul 2019 09:02:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I need assistance with Table 10.4 of the South Africa Demographic and Health Survey (2016). I am trying to replicate the table, but I have not been able to figure out the figures (though close) for Polio (Polio1) and DPT-HepB-Hib (DPT_HepB_Hib2 and DPT_HepB_Hib3).

Following is the Stata code I used:

```
clear all
set matsize 800
set maxvar 10000
set mem 1g
cd "C:\Users\...\Desktop\SADHS 2016 DATA\DATASETS\ZAKR71DT"
use "ZAKR71FL", clear
set more off
```

```
**
```

```
=====
```

```
**
```

```
** WEIGHT VARIABLE
gen weight = v005/1000000
```

```
**
```

```
=====
```

```
**
```

```
** SURVEY SET
gen psu = v021
gen strata = v023
svyset psu [pw = weight], strata(strata) vce(linearized)
*svydes
```

```
**
```

```
=====
```

```
**
```

```
// RENAME
```

```
rename v013 age
rename v106 education
rename v190 wealth
rename v025 residence
```

rename v024 region

**

=====

**

** Child_age = 12-23 months old

gen months = b19

keep if b5 == 1 & months >= 12 & months <=23

gen child_age = months

replace child_age = 1 if b5 == 1 & months >= 12 & months <=13

replace child_age = 2 if b5 == 1 & months >= 14 & months <=15

replace child_age = 3 if b5 == 1 & months >= 16 & months <=17

replace child_age = 4 if b5 == 1 & months >= 18 & months <=19

replace child_age = 5 if b5 == 1 & months >= 20 & months <=21

replace child_age = 6 if b5 == 1 & months >= 22 & months <=23

label define child_age 1"12-13" 2"14-15" 3"16-17" 4"18-19" 5"20-21" 6"22-23"

label var child_age "Child age in months"

label val child_age child_age

**

=====

= **

** Recode of vaccination variables

gen BCG = inrange(h2,1,3)

gen Polio0 = inrange(h0,1,3)

gen DPT_HepB_Hib = inrange(h3,1,3)+inrange(h5,1,3)+inrange(h7,1,3)

gen HepB = inrange(h61,1,3)+inrange(h62,1,3)+inrange(h63,1,3)

gen Polio = inrange(h4,1,3)+inrange(h6,1,3)+inrange(h8,1,3)

gen pneumococcal = inrange(h54,1,3)+inrange(h55,1,3)+inrange(h56,1,3)

gen rotavirus = inrange(h57,1,3)+inrange(h58,1,3)+inrange(h59,1,3)

**gen pv = inrange(pv1,1,3)+inrange(pv2,1,3)+inrange(pv3,1,3)

gen measles = inrange(h9,1,3)+inrange(h9a,1,3)

**

=====

**

```

forvalues x = 1/3 {
  gen BCG`x' = (BCG>=`x')
  gen Polio`x' = (Polio>=`x')
  gen DPT_HepB_Hib`x' = (DPT_HepB_Hib>=`x')
  gen HepB`x' = (HepB>=`x')
  gen pneumococcal`x' = (pneumococcal>=`x')
  gen rotavirus`x' = (rotavirus>=`x')
  gen measles`x' = (measles>=`x')
}
**

```

*** CHECKING TABLE 10.4 BY WEALTH QUINTILE ***

```

svy: tab wealth BCG, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth Polio0, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth Polio1, percent format(%9.1f) miss row // does not match table 10.4
svy: tab wealth Polio2, percent format(%9.1f) miss row // not in table 10.4
svy: tab wealth DPT_HepB_Hib1, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth DPT_HepB_Hib2, percent format(%9.1f) miss row // does not match table
10.4
svy: tab wealth DPT_HepB_Hib3, percent format(%9.1f) miss row // does not match table
10.4
svy: tab wealth HepB1, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth HepB2, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth HepB3, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth pneumococcal1, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth pneumococcal2, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth pneumococcal3, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth rotavirus1, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth rotavirus2, percent format(%9.1f) miss row // matches table 10.4
svy: tab wealth measles1, percent format(%9.1f) miss row // matches table 10.4

```

**

```

=====
**

```

/* BCG, three doses of DTaP-IPV-Hib, and one dose of measles vaccine */

```

cap drop vaccination
gen vaccination = (BCG==1 & DPT_HepB_Hib3==1 & measles1==1)
label var vaccination "Received all basic vaccinations"
label define vaccination 0"No" 1"Yes"
label values vaccination vaccination

```

```

svy: tab wealth vaccination, percent format(%9.1f) miss row

```

exit
