Subject: Any Anaemia Ghana DHS 2022 Posted by backclac on Wed, 15 Jan 2025 03:23:35 GMT View Forum Message <> Reply to Message

Hello

I am analyzing anaemia using KR files from the GDHS 2008, 2014, and 2022. The prevalence of "any anaemia" among 6-59 month-olds in rural areas (v025) differs from the GDHS report. Below is the STATA do.file syntax used:

* Set the survey design variables *weighted

gen wt822=v005/1000000

*Preparing the dataset as a survey Dataset

svyset [pweight=wt822], strata(v023)psu(v021)

* dataset for only rural Ghana tab v025 keep if v025==2 tab v025

*Outcome *tab hw57

outcome variables

tab hw57 * adding all forms of anaemia together as one ALLanemia22 recode hw57(1 2 3=1 "anemia") (4 9=0 "not_anemic"), gen (ALLanemia822)

tab ALLanemia822

My results: 1258, 1061 and 1334 anaemic children(6-59 months) for the years 2008, 2014 and 2022, respectively

Where did I go wrong? Please advise me.

Subject: Re: Any Anaemia Ghana DHS 2022 Posted by Janet-DHS on Wed, 15 Jan 2025 16:27:48 GMT View Forum Message <> Reply to Message

Following is a response from DHS staff member, Tom Pullum:

I believe the problem is that your results are not actually weighted. If you use svyset, then you should have "svy: tab....".

Another easy way to get weighted tables is "tab A B [iweight=v005/1000000]".

A minor point: with pweights, as in the svyset command, you do not need to divide v005 by 1000000. Whenever you use pweight, the weights are automatically normalized to have a mean of 1. You can confirm this by comparing the results from two runs, one in which you divide by 1000000 and one in which you do not. For iweight, you DO need to divide by 1000000.

Subject: Re: Any Anaemia Ghana DHS 2022 Posted by backclac on Thu, 16 Jan 2025 01:49:31 GMT View Forum Message <> Reply to Message

Thank you

Please assist me with the syntax. I obtained my previous values by not dividing v005 by 1,000,000. *DHS setup

*USING KR file for the 2008

*weighted

gen wt=v005

svyset [pweight=wt], strata(v023)psu(v021)

* dataset for only rural Ghana tab v025 keep if v025==2 tab v025

*Outcome tab hw57

outcome variables **ALLanemia2**

tab hw57 * adding all forms of anemia together as one ALLanemia recode hw57(1 2 3=1 "anemia") (4 9=0 "not_anemic"), gen (ALLanemia2)

tab ALLanemia2

*RESULT

RECODE of hw57 (anemia level) Freq. Percent Cum.

not_anemic 526 29.48 29.48 anemia 1,258 70.52 100.00

Total 1,784 100.00

According to the GDHS 2008 report, 1426 (84.1%)children were anemic in rural Ghana.

Kindly assist me with these syntaxes, for clarity. Thank you

Subject: Re: Any Anaemia Ghana DHS 2022 Posted by Janet-DHS on Tue, 21 Jan 2025 20:59:18 GMT View Forum Message <> Reply to Message

Following is a response from DHS staff member, Tom Pullum:

Biomarkers such as anemia, which is based on blood tests conducted on children during the household survey, can be found in both the PR and KR files. It is not always which file was used to construct a table.

You are apparently trying to match table 11.7 in the final report on the Ghana 2008 survey. It appears that this table was constructed with the KR file, because it contains the total of 2313 children age 6-59 months, but I see that there is indeed a problem with this table. Using the KR file (GHKR5AFL.dta), the following command should give the bottom row of the table, except for "any", which is obtained by adding up "severe", "moderate", and "mild":

tab hw57 if hw1>=6 [iweight=v005/1000000]

In the KR file there is no need to specify an upper age of 59 months or de facto residence. Here is what that command gives:

. tab hw57 if hw1>=6 [iweight=v005/1000000]

mild | 478.457266 20.68 71.74 not anemic | 456.775979 19.74 91.49 9 | 196.975826 8.51 100.00

Total | 2,313.421 100.00

Comparing with the bottom row of Table 11.9, this matches the total frequency, 2313. However, the percentages in the "mild", "moderate", and "severe" categories are a little too low and there are 197 (weighted) cases with the illegal code "9".

The other panels of the table should be obtained by inserting covariates after "tab". For example, the urban/rural panel should be obtained with tab v025 hw57 if hw1>=6 [iweight=v005/1000000], row

Unfortunately, all the panels are a little off, in terms of both frequencies and percentages.

I believe that something was done behind the scenes, or outside of the KR file, to re-assign those 197 cases (the unweighted number is 193) in terms of values on the covariates as well as anemia category. I could pursue that hypothesis, but I just don't think it's worth the time.

Next, I believe that your more immediate interest is in the 2022 survey, and I think you want to match Table 11.12 in the final report on that survey.

I tried to match it with the KR file, but it turns out that the 2022 version of the anemia table comes from the PR file (GHPR8CFL.dta). You can match the bottom row of this table, except for the "any" column, with this command:

tab hc57 if hc1>=6 & hc1<=59 & hv103==1 [iweight=hv005/1000000] The command for the urban/rural panel, for example, would be this: tab hv025 hc57 if hc1>=6 & hc1<=59 & hv103==1 [iweight=hv005/1000000], row

Let us know if you have other questions.

Subject: Re: Any Anaemia Ghana DHS 2022 Posted by backclac on Wed, 22 Jan 2025 01:44:00 GMT View Forum Message <> Reply to Message

The feedback is helpful and I appreciate it.

Kindly help me address the following;

1. This study will consider the anaemia tables(data) from 2008, 2014, and 2022. We would be glad if you could help us resolve all challenges or advise us on what to do.

2. Is it appropriate to do a trend or comparison analysis using the KR file in one and the PR file in a different year

Please advise me. Thank you

Subject: Re: Any Anaemia Ghana DHS 2022

Following is a response from DHS staff member, Tom Pullum:

Ideally the trend will be based entirely on cases in the KR file OR entirely on cases in the PR file. The advantage of estimates from the KR file is that the KR file includes many other characteristics of the children, such as nutrition and healthcare, and they can be related to anemia. The advantage of estimates from the PR file is that they include all children in the household, not just those who are living with the mother. However, there will be very little difference between the KR and PR estimates because nearly all of the young children ARE living with the mother.

I recommend that you just take the estimates off STATcompiler, unless you want them for subpopulations that are not provided by STATcompiler. If there is a difference between the estimates in the final report and the estimates on STATcompiler, the estimates on STATcompiler are preferable.

Subject: Re: Any Anaemia Ghana DHS 2022 Posted by backclac on Wed, 29 Jan 2025 02:08:48 GMT View Forum Message <> Reply to Message

I am grateful I will do that